



CNA LIGHTING • 2026

Product Catalogue

Premium LED lighting for distributors, electrical
wholesalers, and lighting showrooms across Canada.



CNA Lighting

cnalighting.com



TABLE OF CONTENTS

Contents

About Us	03	Flush Mounts	27	Step Lights	47
Freight Prepaid Policy	04	Ashley	28	Step Lights	48
Bulbs	05	Chloe	29	PLs & Tubes	49
A-Type	06	Helen	31	Commercial Fixtures	50
Candle	09	2-Ring	32	Strip Light 120V-347V	51
Globe	10	Panels	33	6" Recessed Downlight - Field Adjustable	51
Vintage	11	Disks	33	Flood Light - Trunion	52
T-Type	12	Mushroom	35	Wall Pack	52
Miniature	13	Sensor	36	Emergency & EXIT	53
J-Type Linear	14	Square	36	EXIT Lights	54
GU10	15	Accessories	37	Emergency Lights	54
MR11	15	Vanity Lights	38	Warranty & Return Policy	55
MR16	15	Linda	39	Contact	56
PAR	16	Under Cabinet	40		
BR	17	Pucks	41		
S14 String Lights	17	Panel	41		
Base Adapters	18	12V LED Drivers (For Puck Lights)	41		
Recessed Lighting	19	Linear	42		
Panels	20	Ribbon & Accessories	44		
Gimbal	22	24V LED Drivers (For Ribbon Lights)	46		
Eyeball	23				
Retrofit	23				
Accessories	24				



ABOUT CNA LIGHTING

38 Years of Lighting Excellence

Trusted by distributors across Canada.

38+

Years in business

500+

LED products

3

Canadian
warehouses

2–5yr

LED warranty

CNA Lighting is a division of **CNA International Enterprises Inc.**, a privately held Canadian company established in March 1988. For over 38 years, CNA has been dedicated to delivering high-quality lighting products and excellent, prompt service to customers across Canada.

CNA began its journey with the introduction of its first halogen light bulb in 1988. As the lighting industry evolved, CNA adapted and invested heavily in LED technology — today the catalogue is anchored by a wide range of high-performance LED light bulbs and fixtures.

CNA sells exclusively through the trade — lighting distributors, electrical wholesalers, and lighting showrooms throughout Canada. CNA puts its brand name on everything it sells: a statement of accountability and confidence in product quality, certified to cUL, cETLus, and cTUVus standards.

CANADIAN WAREHOUSES

Burnaby, BC

Head office & West Coast distribution

Surrey, BC

Bulk order facility — AVP Carriers Ltd.

Halton Hills, ON

Central Canada distribution — QRC
Logistics

cUL

cETLus

cTUVus



ORDERING & DELIVERY

Freight Prepaid Policy

Prepaid freight thresholds and estimated delivery times from our Canadian warehouses. Subject to stock availability — contact us for special orders or areas outside standard coverage.

Vancouver warehouse

Minimum order: \$50.00

LOCATION	THRESHOLD	DELIVERY
Greater Vancouver	\$350+	1–2 days
British Columbia	\$500+	1–2 days
Alberta	\$750+	1–2 days
Saskatchewan	\$750+	2–3 days
Manitoba	\$750+	4–5 days
Ontario	\$1,000+	5 days
Quebec	\$1,000+	5 days

Toronto warehouse

Minimum order: \$100.00

LOCATION	THRESHOLD	DELIVERY
Greater Toronto	\$350+	1–2 days
Ontario	\$500+	1–2 days
Quebec	\$750+	2 days
Atlantic Provinces	\$1,000+	3 days

United States

Minimum order: \$100.00 · Contiguous US

LOCATION	THRESHOLD	DELIVERY
USA (Lower 48)	\$1,500+	Varies by destination

CONTACT US

Tel 604.438.2862 · Toll Free 877.772.2862 · Fax 604.438.2972

SECTION 01 · PAGES 6–18

Bulbs

A-Type, Candle, Globe, Vintage, and specialty LED bulbs across every base and colour temperature.

A-TYPE

LED 4.5W A15-FR 30K - 940

Type: A15

4.5W · 450 lm


Base: E26 / Medium

Dimension: Ø48 × 87mm (Ø1-7/8" × 3-7/16")

40W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS**LED6WA15NDS-30K - 1117**

Type: A15

6W · 450 lm


Base: E26 / Medium Base

Dimension: Ø50 × 82mm (Ø1-15/16" × 3-2/8")

40W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS**LED 7.6W A19-X 27K - 1175****LED 7.6W A19-X 30K - 1170****LED 7.6W A19-X 40K - 1173****LED 7.6W A19-X 50K- 1174**

Type: A19

7.6W · 800 lm

Base: E26 / Medium Base

Dimension: Ø60 × 106mm (Ø2-3/8" × 4-3/16")

60W Incandescent equivalent


2700K

3000K

4000K

5000K

cUL

WARRANTY
2 YEARS**LED 5.5W A19-R 30K - 1171**

Type: A19

5.5W · 500 lm


Base: E26 / Medium Base

Dimension: Ø60 × 108mm (Ø2-3/8" × 4-1/4")

40W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS

A-TYPE

LED 6.5W A19-WH 30K - 1196

Type: A19

6.5W · 800lm

Base: E26/Medium Base


Dimension: Ø60 × 103mm (Ø2-3/8" × 4-1/16")

60W Incandescent equivalent

3000K

cETLus

WARRANTY
2 YEARS



LED 7.6W A19-ML 30K - 1105

Type: A19

7.6W · 800 lm

Base: E26 / Medium Base


Dimension: Ø60 × 106mm (Ø2-3/8" × 4-3/16")

60W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS



LED 12.5W A19-X 30K - 1190

Type: A19

12.5W · 1500 lm

Base: E26 / Medium Base

Dimension: Ø60 × 106mm (Ø2-3/8" × 4-3/16")

100W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS



LED9WA19NDS-30K-5pk - 959

LED9WA19NDS-40K-5pk - 900

Type: A19

9W · 800 lm

Base: E26 / Medium

Dimension: Ø60 × 109mm (Ø2-3/8" × 4-1/4")


60W Incandescent equivalent

3000K

4000K

cUL

WARRANTY
2 YEARS



A-TYPE

LED9WA19-ED 27K - TBD

Type: A19

9W · 800 lm


Base: E26 / Medium

Dimension: Ø60 × 103mm (Ø2-3/8" × 4-1/16")

60W Incandescent equivalent

2700K

cUL

WARRANTY
2 YEARS**LED9WA19-ED 30K - 1192****LED9WA19-ED 40K - 170****LED9WA19-ED 50K - TBD**

Type: A19

9W · 800 lm

Base: E26 / Medium

Dimension: Ø60 × 103mm (Ø2-3/8" × 4-1/16")


60W Incandescent equivalent

3000K

4000K

5000K

cUL

WARRANTY
2 YEARS**LED9WA19-5CCT - 1216**

Type: A19

9W · 800 lm


Base: E26 / Medium

Dimension: Ø60 × 117mm (Ø2-3/8" × 4-5/8")

60W Incandescent equivalent

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cUL

WARRANTY
2 YEARS**LED14WA19-5CCT - 1187**

Type: A19

14W · 1600 lm


Base: E26 / Medium

Dimension: Ø60 × 117mm (Ø2-3/8" × 4-5/8")

100W Incandescent equivalent

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cUL

WARRANTY
3 YEARS

A-TYPE

LED20WA21-EC 40K - 1161

Type: A21

20W · 2600 lm


Base: E26 / Medium

Dimension: Ø76 × 138mm (Ø3" × 5-7-16")

200W Incandescent equivalent

4000K

cUL

WARRANTY
3 YEARS**LED24WA21-EC 30K - 1058**

Type: A21

24W · 2600 lm


Base: E26 / Medium

Dimension: Ø70 × 126mm (Ø2-6/8" × 4-15/16")

200W Incandescent equivalent

3000K

cUL

WARRANTY
3 YEARS

CANDLE

LED 5.2W B10-X 27K - 1162**LED 5.2W B10-X 30K - 1163****LED 5.2W B10-X 40K - 1164****LED 5.2W B10-X 50K - 1165**

Type: B10

5.2W · 500 lm

Base: E12 / Candelabra

Dimension: Ø35 × 99mm (Ø1-3/8" × 3-7/8")

60W Incandescent equivalent


2700K

3000K

4000K

5000K

cUL

WARRANTY
2 YEARS**LED 5.5W B10-WH 30K - 1195****LED 5.5W B10-WH 40K - TBD**

Type: B10

5.5W · 500 lm

Base: E12 / Candelabra


Dimension: Ø35 × 102mm (Ø1-3/8" × 4")

60W Incandescent equivalent

3000K

4000K

cETLus

WARRANTY
2 YEARS

GLOBE

LED 5.5W G16-CL 30K - 1118

Type: G16

5.5W · 500 lm

Base: E12 / Candelabra

Dimension: Ø50 × 81mm (Ø2" × 3-3/16")

50W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS**LED 5.5W G16-ML 30K - 1119**

Type: G16

5.5W · 500 lm


Base: E12 / Candelabra

Dimension: Ø50 × 81mm (Ø2" × 3-3/16")

50W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS**LED 5.5W G16-CL 30K E26 - 1213**

Type: G16

5.5W · 500 lm


Base: E26 / Medium

Dimension: Ø50 × 78mm (Ø2" × 3-1/16")

50W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS**LED 5.5W G25 30K - 814**

Type: G25

5.0W · 450 lm


Base: E26 / Medium

Dimension: Ø81 × 120mm (Ø3-3/32" × 4-1/2")

50W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS

GLOBE

LED 5W G25-ML 27K - 1127**LED 5W G25-ML 30K - 1120**

Type: G25

5W · 450 lm

Base: E26 / Medium Base


Dimension: Ø81 × 120mm (Ø3-3/32" × 4-1/2")

40W Incandescent equivalent

2700K

3000K

cUL

WARRANTY
2 YEARS

VINTAGE

LED 0.8W S14 27K - 1207

Type: S14


0.8W · 70 lm

Base: E26 / Medium

Dimension: Ø45 × 86mm (Ø1-3/4" × 3-3/8")

2700K

cETLus

WARRANTY
3 YEARS**LED 5.5W ST19-X 22K - 1166**

Type: ST19

5.5W · 400 lm


Base: E26 / Medium

Dimension: Ø59 × 128mm (Ø2-5/16" × 5-1/32")

50W Incandescent equivalent

2200K

cUL

WARRANTY
2 YEARS**LED 5.5W ST19-X 27K - 1167****LED 5.5W ST19-X 30K - 1168****LED 5.5W ST19-X 40K - 1169**

Type: ST19

5.5W · 500 lm

Base: E26 / Medium Base

Dimension: Ø64 × 136mm (Ø2-1/2" × 5-3/8")



50W Incandescent equivalent

2700K

3000K

4000K

cUL

WARRANTY
2 YEARS

VINTAGE

LED 6.5W ST19-WH 30K - 1197

Type: ST19

6.5W · 800 lm


Base: E26 / Medium

Dimension: $\varnothing 60 \times 136\text{mm}$ ($\varnothing 2\text{-}3/8" \times 5\text{-}3/8"$)

50W Incandescent equivalent

3000K

cETLus

WARRANTY
2 YEARS**LED 8.8W ST19-R 30K - 1172**

Type: ST19

8.8W · 800 lm


Base: E26 / Medium Base

Dimension: $\varnothing 58 \times 134\text{mm}$ ($\varnothing 2\text{-}9/32" \times 5\text{-}1/4"$)

60W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS

T-TYPE

LED 5.5W T10 30K - 831**LED 5.5W T10 40K - 230**

Type: T10

5.5W · 500 lm

Base: E26 / Medium


Dimension: $\varnothing 30 \times 127\text{mm}$ ($\varnothing 1\text{-}3/16" \times 5"$)

40W - 50W Incandescen equivalent

3000K

4000K

cUL

WARRANTY
2 YEARS**LED 3.5W T25 30K - 1050**

Type: T25

3.5W · 350 lm


Base: E12 / Candelabra

Dimension: $\varnothing 25 \times 83\text{mm}$ ($\varnothing 1" \times 3\text{-}1/4"$)

40W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS

T-TYPE

LED 3.5W T25-ML 30K - 1137

Type: T25

3.5W · 300 lm


Base: E12 / Candelabra

Dimension: Ø25 × 83mm (Ø1" × 3-1/4")

40W Incandescent equivalent

3000K

cUL

WARRANTY
2 YEARS**LED 8W T30 27K - 1046**

Type: T30

8W · 750 lm


Base: E26 / Medium Base

Dimension: Ø30 × 295mm (Ø1-3/16" × 11-5/8")

60W Incandescent equivalent

2700K

cUL

WARRANTY
2 YEARS

MINIATURE

LED3WE11-DIM 3000K - 899

Type: JC

3W · 300 lm


Base: E11 / Minican

Dimension: Ø17.5 × 49.5mm (Ø11/16" × 1-15/16")

50W Halogen equivalent

3000K

cTUVus

WARRANTY
2 YEARS**LED1.5WG4SM 30K - 929**

Type: JC

1.5W · 185 lm


Base: G4

Dimension: 10 × 9 × 33mm (3/8" × 11/32" × 1-5/16")

20W Halogen equivalent

3000K

cETLus

WARRANTY
2 YEARS

MINIATURE

LED3WG9-DIM 3000K - 878**LED3WG9-DIM 4100K - 879****LED3WG9-DIM 5000K - 1080**

Type: JCD

3W · 300 lm

Base: G9

Dimension: Ø15 × 49mm (Ø19/32" × 1-15/16")


40W Halogen equivalent

3000K

4100K

5000K

cTUVus

WARRANTY
2 YEARS**LED4.5WG9-DIM 30K - 1179****LED4.5WG9-DIM 40K - 1180**

Type: JCD

4.5W · 450 lm

Base: G9


Dimension: Ø19 × 48mm (Ø3/4" × 1-7/8")

60W Halogen equivalent

3000K

4000K

cETLus

WARRANTY
2 YEARS

J-TYPE LINEAR

LED 7W J78SM-DIM 30K - 1130**LED 7W J78SM-DIM 40K - 715**

Type: J-Type

7W · 750 lm

Base: R7s


Dimension: Ø21 × 55mm (Ø13/16" × 2-3/16")

100W Halogen equivalent

3000K

4000K

cETLus

WARRANTY
2 YEARS**LED 14W J118 30K - 981****LED 14W J118 40K - 1132**

Type: J-Type

14W · 1400 lm

Base: R7s


Dimension: Ø30 × 78mm (Ø1-5/32" × 3-1/16")

150W-200W Halogen equivalent

3000K

4000K

cTUVus

WARRANTY
2 YEARS

GU10

LED6.5WGU10-CB 27K - 933**LED6.5WGU10-CB 30K - 934****LED6.5WGU10-CB 40K - 951**

Type: GU10

6.5W · 500 lm

Base: GU10

Dimension: Ø50 × 54mm (Ø1-31/32" × 2-1/8")


50W Halogen equivalent

2700K

3000K

4000K

cUL

WARRANTY
3 YEARS

MR11

LED 3W MR11 - 1116

Type: MR11


3W · 200 lm

Base: GU4

Dimension: Ø34 × 37mm (Ø1-5/16" × 1-7/16")

3000K

cUL

WARRANTY
3 YEARS

MR16

LED6.5WMR16-ED 27K- 858**LED6.5WMR16-ED 30K - 1193****LED6.5WMR16-ED 40K - TBD**

Type: MR16

6.5W · 500 lm

Base: GU5.3

Dimension: Ø50 × 48.2mm (Ø1-15/16" × 1-7/8")


50W Halogen equivalent

2700K

3000K

4000K

cUL

WARRANTY
2 YEARS

PAR

LED6WPar16-SRT 30K - 1028**LED6WPar16-SRT 40K - 1029**

Type: Par16

6W · 500 lm

Base: E26 / Medium

Dimension: $\varnothing 50 \times 57\text{mm}$ ($\varnothing 1\text{-}31/32'' \times 2\text{-}1/4''$)

50W Halogen equivalent

3000K

4000K

cUL

WARRANTY
3 YEARS**LED 6.5W Par16 4000K - 861**

Type: Par16

6.5W · 500 lm


Base: E26 / Medium

Dimension: $\varnothing 50 \times 72\text{mm}$ ($\varnothing 1\text{-}31/32'' \times 2\text{-}13/16''$)

50W Halogen equivalent

4000K

cUL

WARRANTY
2 YEARS**LED5WPar20-5CCT - 1217**

Type: Par20


5W · 500 lm

Base: E26 / Medium

Dimension: $\varnothing 63 \times 87\text{mm}$ ($\varnothing 2\text{-}1/2'' \times 3\text{-}7/16''$)

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cUL

WARRANTY
3 YEARS**LED9WPar30L-5CCT - 1218**

Type: Par30L


9W · 800 lm

Base: E26 / Medium

Dimension: $\varnothing 95 \times 116\text{mm}$ ($\varnothing 3\text{-}6/8'' \times 4\text{-}9/16''$)

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cUL

WARRANTY
3 YEARS

PAR

LED9WPar30S-5CCT 1219

Type: Par30S

9W · 800 lm

Base: E26 / Medium

Dimension: Ø95 × 93mm (Ø3-6/8" × 3-11/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cUL

WARRANTY
3 YEARS**LED12WPar38-5CCT - 1031**

Type: Par38

12W · 1200 lm


Base: E26 / Medium

Dimension: Ø120 × 127.5mm (Ø4-3/4" × 5-1/32")

120W Halogen equivalent

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cUL

WARRANTY
3 YEARS

BR

LED7WBR30-5CCT - 1121

Type: BR30

7W · 650 lm

Base: E26 / Medium

Dimension: Ø95 × 131mm (Ø3-3/4" × 5-3/16")

75W Incandescent equivalent

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cUL

WARRANTY
3 YEARS**S14 STRING LIGHTS****S14-String48 - 1122**


Type: String Lights

15W · 70 lm

Base: E26 (medium)

2700K

cETLus

WARRANTY
2 YEARS

BASE ADAPTERS**E26 to E12 Adapter - 887**

Type: Base Adapter

**GU24 to E26 Adapter - 886**

Type: Base Adapter





SECTION 02 • PAGES 20–26

Recessed Lighting

Gimbal and eyeball downlights for adjustable accent and general illumination.

PANELS

DP4-5CCT - 1100

Type: 4" Round Panel
 9W · 650 lm
 Finish: White
 Dimension: Ø124 × 24mm
 (Ø4-7/8" × 15/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, Type IC Rated

WARRANTY
3 YEARS


**DP6-30K - 1099**

Type: 6" Round Panel
 12W · 900 lm
 Finish: White
 Dimension: Ø173 × 24mm
 (Ø6-13/16" × 15/16")

3000K

cETLus, Type IC Rated

WARRANTY
3 YEARS

**DP6-5CCT - 290**

Type: 6" Round Panel
 12W · 900 lm
 Finish: White
 Dimension: Ø173 × 24mm
 (Ø6-13/16" × 15/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, Type IC Rated

WARRANTY
3 YEARS

**DP4-FR-5CCT - 1123**

Type: 4" Fire-Rated Round Panel
 12W · 800 lm
 Finish: White
 Dimension: Ø126 × 34mm
 (Ø4-15/16" × 1-5/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, 2-Hour Fire-Rated, Wet Location, Type IC, Airtight

WARRANTY
5 YEARS



PANELS

DP6-FR-5CCT - 1124

Type: 6" Fire-Rated Round Panel

15W · 1200 lm

Finish: White

Dimension: Ø176 × 34mm (Ø6-15/16" × 1-5/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, 2-Hour Fire-Rated, Wet Location, Type IC, Airtight

WARRANTY
5 YEARS**DPS-4-5CCT - 1081**

Type: DPS Series

9W · 700 lm

Finish: White Trim

Dimension: Ø125 × 28mm (Ø4-7/8" × 1-1/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, Type IC Rated

WARRANTY
5 YEARS**DPM-4-5CCT - 1201**

Type: DPM Series

9W · 650 lm

Finish: White Trim

Dimension: Ø125 × 28mm (Ø4-7/8" × 1-1/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, Type IC Rated

WARRANTY
5 YEARS

GIMBAL

DGIM-4-5CCT-BK - 1155

Type: Gimbal

9W · 800 lm

Finish: Black

Dimension: Ø132 × 40mm (Ø5-3/16" × 1-9/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**DGIM-4-5CCT-WH - 1154**

Type: Gimbal

9W · 800 lm

Finish: White

Dimension: Ø132 × 40mm (Ø5-3/16" × 1-9/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**TL4-5CCT-BK-12W - 1141**

Type: Gimbal

12W · 900 lm

Finish: Black

Dimension: Ø125 × 36mm (Ø4-7/8" × 1-7/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**TL4-5CCT-WH-12W - 1140**

Type: Gimbal

12W · 900 lm

Finish: White

Dimension: Ø125 × 36mm (Ø4-7/8" × 1-7/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

EYEBALL

DG-4-345K-WH - 1038

Type: Eyeball

12W · 800 lm

Finish: White

Dimension: Ø124 × 54mm (Ø4-7/8" × 2-1/8")

3CCT - 3000K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**RG-4-30K-WH - 1102****RG-4-345K-WH - 1041****RG-4-5CCT-WH - 1125**

Type: Eyeball

12W · 900 lm

Finish: White

Dimension: Ø110 × 85mm (Ø4-11/32" × 3-3/8")

3000K

3CCT - 3000K / 4000K / 5000K

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, Type IC Rated

WARRANTY
5 YEARS**RG-4-345K-BK - 1040**

Type: Eyeball

12W · 705 lm / 845 lm / 840 lm

Finish: Black

Dimension: Ø110 × 85mm (Ø4-11/32" × 3-3/8")

3CCT - 3000K / 4000K / 5000K

cETLus, Type IC Rated

WARRANTY
5 YEARS

RETROFIT

LED7WRT4-5CCT - 1106

Type: 4-Inch Retrofit

7W · 650 lm

Finish: White

Dimension: Ø128 × 37mm (Ø5-3/64" × 1-1/2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus Classified

WARRANTY
5 YEARS

RETROFIT

LED9WRT5/6-5CCT - 1017

Type: 5-6-Inch Retrofit

9W · 850 lm

Finish: White

Dimension: Ø185 × 37mm (Ø7-5/16" × 1-1/2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus Classified

WARRANTY
5 YEARS



LED RT6-3x3CCT-AK - 1134

Type: 6-Inch Retrofit

7W / 10W / 17W · 700 lm / 1000 lm / 1500 lm

Finish: White

Dimension: Ø210 × 131mm (Ø8-1/4" × 5-3/16")

3CCT - 3000K / 3500K / 4000K

cUL Classified

WARRANTY
5 YEARS



ACCESSORIES

RT6-GOOF8 - 1057

Type: 8-Inch to 6-Inch Goof Ring

Finish: White



RIP-35 - 1079

RIP-4 - 885

RIP-6 - 888



Type: Rough-In Plates



ACCESSORIES

G-59 Vapour Barrier - 1024 VB02 Vapour Barrier - 1025


Type: Vapour Barrier



DP-4-BK Trim - 1042 DP-6-BK-Trim - 1043

Type: DP Trim

Finish: Black



DPS-4-BK-TRIM - 1082 DPS-4-BN-TRIM - 1083 DPS-ACC - 1084

Type: DPS Trim

Finish: Black / Brushed Nickel



DPM-4 BK Trim - 1202 DPM-4 BN Trim - 1203

Type: DPM TRIM

Finish: Black / Brushed Nickel





SECTION 03 · PAGES 28–37

Flush Mounts

Low-profile disk flush mounts, 5-inch to 19-inch, for residential and light-commercial ceilings.

ASHLEY

CL-SBB-13-5CCT - 645

Type: Ashley

18W · 1000 lm

Finish: Black

Dimension: Ø330 × 69mm (Ø13" × 2.7")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

CL-SBS-13-5CCT - 645

Type: Ashley

18W · 1000 lm

Finish: Silver

Dimension: Ø330 × 69mm (Ø13" × 2.7")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

CL-SBW-13-5CCT - 645

Type: Ashley

18W · 1000 lm

Finish: White

Dimension: Ø330 × 69mm (Ø13" × 2.7")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

CHLOE

CL-DTBG-12-5CCT - 635

Type: Chloe

18W · 800 lm

Finish: Black Gold

Dimension: Ø305 × 51mm (Ø12" × 2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

CHLOE

CL-DTWG-12-5CCT 636

Type: Chloe

18W · 800 lm

Finish: White Gold

Dimension: Ø305 × 51mm (Ø12" × 2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

CL-DTBS-12-5CCT - 637

Type: Chloe

18W · 800 lm

Finish: Black Silver

Dimension: Ø305 × 51mm (Ø12" × 2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

CL-DTWS-12-5CCT - 638

Type: Chloe

18W · 800 lm

Finish: White Silver

Dimension: Ø305 × 51mm (Ø12" × 2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

CL-DTBG-16-5CCT - 639

Type: Chloe

36W · 1800 lm

Finish: Black Gold

Dimension: Ø407 × 51mm (Ø16" × 2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

CHLOE**CL-DTWG-16-5CCT 640**

Type: Chloe

36W · 1800 lm

Finish: White Gold

Dimension: Ø407 × 51mm (Ø16" × 2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**CL-DTBS-16-5CCT - 641**

Type: Chloe

36W · 1800 lm

Finish: Black Silver

Dimension: Ø407 × 51mm (Ø16" × 2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**CL-DTWS-16-5CCT - 642**

Type: Chloe

36W · 1800 lm

Finish: White Silver

Dimension: Ø407 × 51mm (Ø16" × 2")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**HELEN****CL-TBBG-15-5CCT - 601**

Type: Helen

28W · 2000 lm

Finish: Gold Black

Dimension: Ø378 × 74mm (Ø15" × 2-7/8")

5CCT - 2700K / 3000K / 4000K / 5000K / 6500K

cETLus

WARRANTY
5 YEARS

HELEN**CL-TBWB-15-5CCT - 602**

Type: Helen

28W · 2000 lm

Finish: Black White

Dimension: Ø378 × 74mm (Ø15" × 2-7/8")

5CCT - 2700K / 3000K / 4000K / 5000K / 6500K

cETLus

WARRANTY
5 YEARS**CL-TBWG-15-5CCT - 603**

Type: Helen

28W · 2000 lm

Finish: Gold White

Dimension: Ø378 × 74mm (Ø15" × 2-7/8")

5CCT - 2700K / 3000K / 4000K / 5000K / 6500K

cETLus

WARRANTY
5 YEARS**2-RING****CL-2R-12-5CCT BN - 1204****CL-2R-16-5CCT BN - 1045**

Type: 2-Ring

15W / 6W/22W/30W

1100 lm / 1067/1467/2000 lm

Finish: Brushed Nickel

12" Dimensions: Ø305 × 99mm (Ø12" × 3-7/8")

16" Dimension: Ø407 × 64mm (Ø16" × 2.5")

15W

16W / 22W / 30W

cETLus

WARRANTY
5 YEARS**CL-2R-12-5CCT BK - 1136****CL-2R-16-5CCT BK - 1085**

Type: 2-Ring

15W / 6W/22W/30W

1100 lm / 1067/1467/2000 lm

Finish: Black

12" Dimensions: Ø305 × 99mm (Ø12" × 3-7/8")

16" Dimensions: Ø407 × 64mm (Ø16" × 2.5")

15W

16W / 22W / 30W

cETLus

WARRANTY
5 YEARS

PANELS

DPS-4-5CCT - 1081

Type: 4-Inch Panel

9W · 700 lm

Finish: White Trim

Dimension: Ø125 × 28mm (Ø4-7/8" × 1-1/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, Type IC Rated

WARRANTY
5 YEARS**DPM-4-5CCT - 1201**

Type: 4-Inch Panel

9W · 650 lm

Finish: White Trim

Dimension: Ø125 × 28mm (Ø4-7/8" × 1-1/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus, Type IC Rated

WARRANTY
5 YEARS

DISKS

DSK-5-5CCT-WH - 910

Type: 5-Inch

8W · 750 lm

Finish: White

Dimension: Ø137 × 17mm (Ø5-1/16" × 5/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**DSK-7-5CCT-BK - 1182****DSK-7-5CCT-WH - 1181**

Type: 7-Inch

12W · 1000 lm

Finish: Black / White

Dimension: Ø179 × 17mm (Ø7-1/16" × 5/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

DISKS

DSK-9-5CCT-BK - 1184**DSK-9-5CCT-WH - 1183**

Type: 9-Inch

18W · 1500 lm

Finish: Black / White

Dimension: Ø216 × 17mm (Ø8.5" × 5/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**DSK-12-5CCT-BK - 1186****DSK-12-5CCT-WH - 1185**

Type: 12-Inch

24W · 2000 lm

Finish: Black / White

Dimension: Ø299 × 17mm (Ø11-12/16" × 5/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**DSK-15-5CCT-BK - 1157****DSK-15-5CCT-WH - 169**

Type: 15-Inch

30W · 2650 lm

Finish: Black / White

Dimension: Ø380 × 17mm (Ø15-1/16" × 5/8")

30W

32W

cETLus

WARRANTY
5 YEARS**DSK-19-5CCT-BK - 1222****DSK-19-5CCT-WH - 1199**

Type: 19-Inch

40W · 3300 lm

Finish: Black / White

Dimension: Ø480 × 17mm (Ø19-1/16" × 5/8")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS

MUSHROOM

CL-11-5CCT - 1205

CL-13-5CCT - 1206

Type: Mushroom

18W / 20W

1200 lm / 1600 lm

Finish: Opaque

Dimension: Ø280 × 92mm (Ø11" × 3-5/8")

5CCT - 2700K / 3000K / 4000K / 5000K / 6500K

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS



SENSOR

CL-6-PIR - 978

Type: PIR

10W · 600 lm

Finish: White

Dimension: Ø175 × 25mm (Ø6-7/8" × 1")

PIR Sensor: PIR Sensor

Auto-Shutoff: 30 seconds

3000K

cETLus

WARRANTY
5 YEARS



CL-9-PhotoPIR - 1055

Type: PhotoPIR

18W · 1350 lm

Finish: White

Dimension: Ø226 × 25mm (Ø8-5/16" × 1")

PIR Sensor: Day/Night Photometric & PIR

Motion Sensor

Auto-Shutoff: 3 Minutes

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
3 YEARS



SQUARE

LED DSQ-4-30K - 952

LED DSQ-6-30K - 953

Type: 4-Inch or 6-Inch Square

10W / 15W

600 lm / 900 lm

Finish: White

Dimension: 4" (4-3/8" × 5/8") 6" (6-1/4" × 5/8")

10W

15W

cETLus

WARRANTY
5 YEARS



ACCESSORIES**DPS-4-BK-TRIM - 1082****DPS-4-BN-TRIM - 1083****DPS-ACC - 1084**


Type: DPS TRIM

Finish: Black / Brushed Nickel

**DPM-4 BK Trim - 1202****DPM-4 BN Trim - 1203**

Type: DPM TRIM

Finish: Black / Brushed Nickel





SECTION 04 · PAGES 39–39

Vanity Lights

The Linda collection — linear LED bath bars in Black and Brushed Nickel finishes.

LINDA**VL-A2F-5CCT BK - 631**

Type: Linda
 23W · 2000 lm
 Finish: Black
 Dimension: 629 × 94 × 112mm
 (24-13/16" × 3-12/16" × 4-7/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**VL-A2F-5CCT BN - 632**

Type: Linda
 23W · 2000 lm
 Finish: Brushed Nickel
 Dimension: 629 × 94 × 112mm
 (24-13/16" × 3-12/16" × 4-7/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS**VL-A3F-5CCT BK - 633**

Type: Linda
 30W · 2500 lm
 Finish: Black
 Dimension: 898 × 94 × 112mm
 (35-3/8" × 3-12/16" × 4-7/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K


cETLus

WARRANTY
5 YEARS**VL-A3F-5CCT BN - 634**

Type: Linda
 30W · 2500 lm
 Finish: Brushed Nickel
 Dimension: 898 × 94 × 112mm
 (35-3/8" × 3-12/16" × 4-7/16")

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS



SECTION 05 · PAGES 41–46

Under Cabinet

Puck lights, panels, and linear tape systems for kitchens and millwork.

PUCKS

LED2WRD1-30K - 1129

Type: Mini Puck
2W · 160 lm
Finish: Black Trim & White Trim

3000K

cETLus

WARRANTY
5 YEARS



PUCKS

PUCK-TRIM BK - 743 PUCK-TRIM SN - 744 PUCK-TRIM WH - 745

Type: Puck Trim
Finish: Black Satin Nickel / White
Dim: Ø70 × 15mm (Ø2-3/4" × 9/16")



LED3WPUCK-3CCT BK - 823

Type: Puck
3W · 240 lm
Finish: Black
Dim: Ø70 × 11mm (Ø2-3/4" × 7/16")

3CCT - 3000K / 4000K / 5000K

cETLus

WARRANTY
3 YEARS



LED3WPuck 30K - 902

Type: Puck
Finish: Aluminum

3000K

WARRANTY
3 YEARS



LED3WPUCK-3CCT SN - 824

Type: Puck
3W · 240 lm
Finish: Satin Nickel
Dim: Ø70 × 11mm (Ø2-3/4" × 7/16")

3CCT - 3000K / 4000K / 5000K

cETLus

WARRANTY
3 YEARS



LED-SMRing - 905

Type: Surface Mount
Ring
Finish: Aluminum
Dim: Ø62 × 12mm (Ø2-7/16" × 1/2")

3000K

WARRANTY
3 YEARS



LED3WPUCK-3CCT WH - 825

Type: Puck
3W · 240 lm
Finish: White
Dim: Ø70 × 11mm (Ø2-3/4" × 7/16")

3CCT - 3000K / 4000K / 5000K

cETLus

WARRANTY
3 YEARS



PANEL

LED6WPanel 30K - 904

Type: Panel
Finish: Aluminum

3000K

WARRANTY
3 YEARS



12V LED DRIVERS (FOR PUCK LIGHTS)

PS12W-ETL-RD - 1060

PS20W-ETL-RD - 1061

PS40W-ETL-RD - 1062

PS60W-ETL-RD - 1063

Type: Dimmable



PS100W-ETL-DIM - 1035

PS120W-ETL-DIM - 1135

Type: Dimmable



PS-18W-BOXDIM - 945

PS-40W-BOXDIM - 946

Type: Enclosure

18W

18W

40W



PS100W-MC - 467

PS150W-MC - 625

Type: Non Dimmable



LINEAR

T5Bar-11-5CCT - 1091

T5Bar-24-5CCT - 1092

T5Bar-36-5CCT - 1093

T5Bar-48-5CCT - 1094

Type: 11-Inch / 24-inch / 36-inch / 48-inch
 5W · 420 lm / 760 lm / 1120 lm / 1530 lm
 Finish: White

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cETLus

WARRANTY
5 YEARS



T5Bar-Jbox - 1095

Type: JBOX



T5Bar-Link12 - 1090

Type: LINK



T5Bar-Plug - 1096

Type: Plug



T5Bar-Accessories - 1126

Type: Accessory



RIBBON & ACCESSORIES


RL-COB-30K-20FT - 1009

RL-COB-40K-20FT - 1138

Type: Ribbon

3000K

4000K



RIBBON & ACCESSORIES

RL-COB-20FTWires - 1147

Type: 20FT Wire



RL-COB-6LE - 1145

Type: 6" Lead Input



RL-COB-IC - 1143

Type: I-Connector



RL-COB-12EX - 1146

Type: 12" Extension




RL-COB-LC - 1142

Type: L-Connector




RL-COB-RWC - 1144

Type: Ribbon to Wire



RL-COB-TC - 1139

Type: T-Connector



RIBBON & ACCESSORIES

IFP09-1M - 1153

Type: Low Profile Channel



RIBBON & ACCESSORIES

RP20-1M - 996

Type: Recess Mount Channel



FP20-1M - 994

Type: Surface Mount Channel



RP20-CAPS - 997

Type: RM Channel CAP



FP20-CAPS - 995

Type: SM Chan CAP



RP20-S-CLIPS - 999

Type: RM Channel CLIPS



FP20-M-CLIPS - 998

Type: SM Chan CLIPS



24V LED DRIVERS (FOR RIBBON LIGHTS)

PS40W-24V - 1148

PS60W-24V - 1149

Type: Dimmable



PS80W-24V - 1150

PS100W-24V - 1151

Type: Dimmable



PS150W-24V - 1152

Type: Dimmable



PS100W-MC-24V - 1103

Type: Non Dimmable





SECTION 06 · PAGES 48–48

Step Lights

Low-profile hardwire step and stair lights for indoor and outdoor treads.

STEP LIGHTS

LED2WRD1-30K - 1129

Type: Mini Step Light
2W · 160 lm

3000K

cETLus

WARRANTY
5 YEARS



LED SL-BK - 1004

LED SL-BN - 1005

LED SL-WH - 1003

Type: Step Light
5W · 400 lm


Finish: Matte Black / Brushed Nickel / Matte White

3000K

cETLus

WARRANTY
5 YEARS





SECTION 07 • PAGES 50–52

PLs & Tubes

Compact fluorescent-replacement lamps and T8/T5 LED tube replacements in 2-pin, 4-pin, and linear tube formats.

PL 13W 2-PIN**LED5.5WPL13-HY 4CCT - 1214**

Type: PL 13

5.5W · 620 lm

Finish: White

Dimension: 178 × 32 × 18mm

(7" × 1-1/4" × 1-3/16")

2PIN CFL PL13W equivalent

4CCT - 2700K / 3000K / 3500K / 4000K

cUL

cUL Classified

WARRANTY
5 YEARS**PLC 13W 4-PIN****LED7WPLC13-HY 5CCT - 168**

Type: PLC 13

7W · 800 lm (2700K) / 825 lm (3000K / 3500K) 850 lm

(4000K / 5000K)

Finish: White

4-PIN CFL PLC13W - Also PLC18W PLC26W equivalent

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

cUL

cUL Classified

WARRANTY
3 YEARS**LED7WPLC13-HY-30K - 1023****LED7WPLC13-HY-40K - 916**

Type: PLC 13

7W · 650 lm

Finish: White

Dimension: 128 × 37 × 37mm (5-1/32" × 1-

7/16" × 1-7/16")

4-PIN CFL PLC13W equivalent

3000K

4000K

cUL Classified

WARRANTY
3 YEARS

PLC 26W 32W 42W 4-PIN**LED9WPLC26/32/42-HY 40K - 1215**

Type: PLC 26/32/42

9W · 1250 lm

Finish: White

Dimension: 173 × 34 × 34mm

(6-7/8" × 1-3/8" × 1-3/8")

4-PIN CFL PLC26W PLC32W

PLC42W equivalent

4000K

cUL Classified

WARRANTY
5 YEARS**LED11WPL26/32/42-HY-30K - 917**

Type: PLC 26/32/42

11W · 1300 lm

Finish: White

4-PIN CFL PLC26W PLC32W PLC42W

equivalent

3000K

cUL Classified

WARRANTY
3 YEARS**T8 HYBRID (TYPE A & TYPE B)****LED14WT8-HY 40K - 1014****LED14WT8-HY 50K - 1015**

Type: T8 Hybrid

14W · 1800 lm

Finish: White

4000K

5000K

cUL

cUL Classified

NSF

DLC 5.1

WARRANTY
5 YEARS

T8 COMPATIBLE (TYPE A)**LED11WT8-CM 35K - 1209****LED11WT8-CM 40K - 1210****LED11WT8-CM 50K - 1211**

Type: T8 COMP

13W · 1800 lm

Finish: White

3500K

4000K

5000K

cUL

DLC 5.1

WARRANTY
5 YEARS**T8 BALLAST BYPASS 347V (TYPE B)****LED14WT8-347V 40K - 1073**

Type: T8 Bypass

14W · 1800 lm


Finish: White

4000K

cUL

cUL Classified

NSF

WARRANTY
5 YEARS**T5 COMPATIBLE (TYPE A)****LED25WT5 840 COMP - 943****LED25WT5 850 COMP - 955**

Type: T25 COMP

28W · 3500 lm

Finish: White

4000K

5000K

DLC, NSF, cULus

WARRANTY
5 YEARS



SECTION 08 · PAGES 54–55

Commercial Fixtures

Strip lights, field-adjustable downlights, flood lights, and wall packs for commercial installs.

STRIP LIGHT 120V-347V

LED35WSTP-3CCT - 1115

Type: Strip Light 120V-347V

35W · 4585 lm

Finish: White

Dimension: 1202 × 60.2 × 71.2mm (47-5/16" × 2-5/8" × 2-13/16")

3CCT - 3500K / 4000K / 5000K

cUL, DLC

WARRANTY
5 YEARS




LED STP-CP - 1113

Type: Strip Light 120V-347V

Finish: White

Optional Connector Plate



6" RECESSED DOWNLIGHT - FIELD ADJUSTABLE

LED RT6-3x3CCT-AK - 1134

Type: 6-Inch Recessed Downlight

7W / 10W / 17W · 700 lm / 1000 lm / 1500 lm

Finish: White

Dimension: Ø210 × 131mm (Ø8-1/4" × 5-3/16")

3CCT - 3000K / 3500K / 4000K

cUL Classified

WARRANTY
5 YEARS



RT6-GOOF8 - 1057

Type: 8-Inch to 6-Inch Goof Ring

Finish: White



FLOOD LIGHT - TRUNION**TP-FL30-G3T-R5 - 988**

Type: Flood Light - Trunion

30W · 2700 lm

Finish: Brown

5000K

cULus

**WALL PACK****WP145W50KBZ-347V - 895**

Type: Wall Pack 347V

145W

Finish: Brown

5000K





SECTION 09 · PAGES 56–57

Emergency & EXIT

Code-required exit signs, emergency battery packs, and remote heads.

EXIT LIGHTS

LED EX100-SP - 989

Type: Exit Light

2W

Finish: White

Dimension: 335 × 50 × 230mm (13.2" × 2" × 9")

cCSAus

WARRANTY
5 YEARS



LED EX101-CB - 990

Type: Exit Light

6W

Finish: White

Dimension: 335 × 80 × 305mm (13.2" × 3.15" × 12")

cCSAus

WARRANTY
5 YEARS



EMERGENCY LIGHTS

BP-36W - 1067

Type: Battery Pack

36W

Finish: White

Dimension: 300 × 75 × 140mm

(11.8" × 3" × 5.5")

cCSAus

WARRANTY
5 YEARS



RH-1 - 1069

Type: Remote Head

2W · 130 lm

Finish: White

Dimension: Ø128 × 140mm

(Ø5" × 5.5")

cCSAus

WARRANTY
5 YEARS



BP-72W - 1068

Type: Battery Pack

72W

Finish: White

Dimension: 310 × 70 × 200mm

(12.2" × 2.75" × 7.87")

cCSAus

WARRANTY
5 YEARS



RH-2 - 1070

Type: Remote Head

4W (2 × 2W) · 260 lm (2 ×

130 lm)

Finish: White

Dimension: Ø127 × 123mm

(Ø5" × 4.9")

cCSAus

WARRANTY
5 YEARS





INSIDE BACK COVER

Warranty & Return Policy

WARRANTY

PRODUCT TYPE	WARRANTY PERIOD
LED Products	2–5 years from date of sale
LED Exit Signs	10 years from date of sale
CFL Products	1 year from date of sale

For distributors & retailers

CNA may, at its discretion, replace defective items or credit your account at current distributor pricing or original invoice amount, whichever is lower. Coverage excludes freight, removal, re-installation, labour, or equipment costs, and does not apply to damage from accident, neglect, abuse, misuse, or acts of God.

For end customers

Contact the distributor or retailer of purchase. If contacting CNA directly: return the defective unit at your cost, provide the original receipt, and obtain an RMA number before returning. Approved replacements ship at no cost to you.

GENERAL RETURN POLICY

Returns are accepted when products are new, unused, in original packaging, and resellable. A 25% restocking fee applies; credit is calculated at current distributor pricing or original invoice, whichever is lesser. Customer covers return shipping. An authorization number from CNA is required before returning any items — unauthorized returns will not be accepted. Discontinued products cannot be returned.



GET IN TOUCH

We sell exclusively through the trade.

Lighting distributors, electrical wholesalers, and lighting showrooms
across Canada — reach out to open an account or place an order.

PHONE

604.438.2862

Toll free 877.772.2862

FAX

604.438.2972

Toll free 877.772.2972

WAREHOUSES

Burnaby, BC

Surrey, BC

Halton Hills, ON

ONLINE

orders@cnaighting.com

cnaighting.com