



CNA[®]

PRODUCT CATALOG

2026

cnalighting.com





Table of Contents

BULBS

A-Type	4
Candle	10
Globe	11
Vintage	13
T-Type	15
Miniature	17
J-Type Linear	19
Base Adapters	4
GU10	22
MR11	23
MR16	24
PAR	25
BR	10

RECESSED

Panels	28
Gimbal	30
Eyeball	32
Retrofit	34
Accessories	35

FLUSH MOUNTS

Helen	37
2-Ring	39
Disks	41
Mushroom	46
Sensor	47
Square	48
Accessories	35

VANITY LIGHTS

Linda	50
-------	----

UNDER CABINET

Pucks	52
Panel	28
Linear	19
Ribbon & Accessories	35

12V LED Drivers	17
-----------------	----

24V LED Drivers	64
-----------------	----

STEP LIGHTS

Mini Step Lights	69
------------------	----

Step Lights	50
-------------	----

STRING LIGHTS

S14 String Lights	71
-------------------	----



PL & PLC

PL 13W 2-PIN	72
PLC 13W 4-PIN	72
PLC 26W 32W 42W 4-PIN	74

TUBES

T8 Hybrid (Type A & Type B)	75
T8 Compatible (Type A)	75
T8 Ballast Bypass 347V (Type B)	73
T5 Compatible (Type A)	75

COMMERCIAL FIXTURES

Strip Light 120V-347V	79
6" Recessed Downlight - Field Adjustable	80
Flood Light - Trunion	81
Wall Pack	82

EMERGENCY & EXIT

EXIT Lights	50
Emergency Lights	50

OTHERS

Halogen	85
CFL	90
Fluorescent Tubes	75
HID	93



BULBS

A-TYPE

LED 4.5W A15-FR 30K - 940

SKU: 940

4.5WW

450 lm lm

3000K CCT

E26 / Medium Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø48 mm × 87 mm mm (1-7/8" × 3-7/16")

Enclosed Fixtures

cUL

2 Years Warranty



LED6WA15NDS-30K - 1117

SKU: 1117

6WW

450 lm lm

3000K CCT

E26 / Medium Base Base

120V

360° Beam

≥ 80 CRI



Non-Dimmable

15,000 Hrs L70

Ø50 mm × 82 mm mm (1-15/16" × 3-2/8")

Enclosed Fixtures, Damp Location

cUL

2 Years Warranty



LED 5.5W A19-R 30K - 1171

SKU: 1171

5.5WW

500 lm lm

3000K CCT

E26 / Medium Base Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø60 mm × 108 mm mm (2-3/8" × 4-1/4")

Enclosed Fixtures, Damp Location

cUL

2 Years Warranty





LED 6.5W A19-WH 30K - 1196

SKU: 1196

6.5WW

800lm lm

3000K CCT

E26/Medium Base Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø60 mm x 103 mm mm (2-3/8" x 4-1/16")

Enclosed Fixtures, Damp Location

cETLus

2 Years Warranty



LED 7.6W A19-X xxK

7.6WW

800 lm lm

2700K–5000K CCT

E26 / Medium Base Base

120V

360° Beam

≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø60 mm x 106 mm mm (2-3/8" x 4-3/16")

Enclosed Fixtures, Damp Location

cUL

2 Years Warranty



CCT	Model	SKU	Spec Sheet
2700K	LED 7.6W A19-X 27K - 1175	1175	
3000K	LED 7.6W A19-X 30K - 1170	1170	
4000K	LED 7.6W A19-X 40K - 1173	1173	
5000K	LED 7.6W A19-X 50K- 1174	1174	

LED 7.6W A19-ML 30K - 1105

SKU: 1105

7.6WW

800 lm lm

3000K CCT

E26 / Medium Base Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø60 mm x 106 mm mm (2-3/8" x 4-3/16")

Enclosed Fixtures, Damp Location

cUL

2 Years Warranty





LED9WA19NDS-30K-5pk - 959

SKU: 959

9WW

800 lm lm

3000K CCT

E26 / Medium Base

110V-130V

240° Beam



≥ 80 CRI

Non-Dimmable

15,000 Hrs L70

Ø60 mm × 109 mm mm (2-3/8" × 4-1/4")

cUL

2 Years Warranty



LED9WA19NDS-40K-5pk - 900

SKU: 900

9WW

800 lm lm

4000K CCT

E26 / Medium Base

120V

240° Beam

≥ 80 CRI



Non-Dimmable

15,000 Hrs L70

Ø60 mm × 109 mm mm (2-3/8" × 4-1/4")

Not for Enclosed Fixtures

cUL

2 Years Warranty



LED9WA19-5CCT - 1216

SKU: 1216

9WW

800 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

E26 / Medium Base

120VAC

220° Beam



≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø60 mm × 117 mm mm (2-3/8" × 4-5/8")

cUL

2 Years Warranty





LED9WA19-EC xxK

9WW

800 lm lm

2700K–5000K CCT

E26 / Medium Base

110V-130V

300° Beam

≥ 80 CRI




Dimmable

25,000 Hrs L70

Ø60 mm × 110 mm mm (2-3/8" × 4-5/16")

cUL

3 Years Warranty

CCT	Model	SKU	Spec Sheet
2700K	LED9WA19-EC 27K - 947	947	
4000K	LED9WA19-EC 40K - 949	949	
5000K	LED9WA19-EC 50K - 1072	1072	



LED9WA19-ED xxK

9WW

800 lm lm

3000K–4000K CCT

E26 / Medium Base

120V

300° Beam

≥ 80 CRI

Dimmable



15,000 Hrs L70

Ø60 mm × 103 mm mm (2-3/8" × 4-1/16")

Enclosed Fixtures, Damp Location

cUL

2 Years Warranty

CCT	Model	SKU	Spec Sheet
3000K	LED9WA19-ED 30K - 1192	1192	
4000K	LED9WA19-ED 40K - 170	170	



LED 12.5W A19-X 30K - 1190

SKU: 1190

12.5WW

1500 lm lm

3000K CCT

E26 / Medium Base Base

120V

360° Beam

≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø60 mm × 106 mm mm (2-3/8" × 4-3/16")

Enclosed Fixtures, Damp Location

cUL

2 Years Warranty





LED14WA19-5CCT - 1187

SKU: 1187

14WW

1600 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

E26 / Medium Base

120V

300° Beam



≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø60 mm × 117 mm mm (2-3/8" × 4-5/8")

cUL

3 Years Warranty



LED14WA19 27K - 1034

SKU: 1034

14WW

1600 lm lm

2700K CCT

E26 / Medium Base

120V

300° Beam



≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø60 mm × 112 mm mm (2-3/8" × 4-7/16")

cUL

3 Years Warranty



LED20WA21-EC 40K - 1161

SKU: 1161

20WW

2600 lm lm

4000K CCT

E26 / Medium Base

110VAC-277VAC

230° Beam



≥ 80 CRI

Dimmable

25,000 Hrs L70

Ø76 mm × 138 mm mm (3" × 5-7/16")

cUL

3 Years Warranty





LED24WA21-EC 30K - 1058

SKU: 1058

24WW

2600 lm lm

3000K CCT

E26 / Medium Base

110V-130V

230° Beam



≥ 80 CRI

Dimmable

25,000 Hrs L70

Ø70 mm × 126 mm mm (2-6/8" × 4-15/16")

cUL

3 Years Warranty





CANDLE

LED 5.2W B10-X xxK

5.2WW

500 lm lm

2700K–5000K CCT

E12 / Candelabra Base

120VAC

360° Beam

≥ 80 CRI

Dimmable





15,000 Hrs L70

Ø35 mm × 99 mm mm (1-3/8" × 3-7/8")

Enclosed Fixtures, Damp Location

cUL

2 Years Warranty

CCT	Model	SKU	Spec Sheet
2700K	LED 5.2W B10-X 27K - 1162	1162	
3000K	LED 5.2W B10-X 30K - 1163	1163	
4000K	LED 5.2W B10-X 40K - 1164	1164	
5000K	LED 5.2W B10-X 50K - 1165	1165	



LED 5.5W B10-WH - 1195

SKU: 1195

5.5WW

500 lm lm

3000K CCT

E12 / Candelabra Base

120VAC

360° Beam

≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø35 mm × 102 mm mm (1-3/8" × 4")

Enclosed Fixtures, Damp Location

cETLus

2 Years Warranty





GLOBE

LED 5.5W G16-CL 30K - 1118

SKU: 1118

5.5WW

500 lm lm

3000K CCT

E12 / Candelabra Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø50 mm × 81 mm mm (2" × 3-3/16")

Enclosed Fixtures

cUL

2 Years Warranty



LED 5.5W G16-ML 30K - 1119

SKU: 1119

5.5WW

500 lm lm

3000K CCT

E12 / Candelabra Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø50 mm × 81 mm mm (2" × 3-3/16")

Enclosed Fixtures

cUL

2 Years Warranty



LED 5.5W G16-CL 30K E26 - 1213

SKU: 1213

5.5WW

500 lm lm

3000K CCT

E26 / Medium Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø50 mm × 78 mm mm (2" × 3-1/16")

Enclosed Fixtures

cUL

2 Years Warranty





LED 5.5W G25 30K - 814

SKU: 814

5.0WW

450 lm lm

3000K CCT

E26 / Medium Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø81 mm × 120 mm mm (3-3/32" × 4-1/2")

Enclosed Fixtures

cUL

2 Years Warranty



LED 5W G25-ML xxK

5WW

450 lm lm

2700K–3000K CCT

E26 / Medium Base Base

120V

360° Beam

≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø81 mm × 120 mm mm (3-3/32" × 4-1/2")

Enclosed Fixtures

cUL

2 Years Warranty



CCT	Model	SKU	Spec Sheet
2700K	LED 5W G25-ML 27K - 1127	1127	
3000K	LED 5W G25-ML 30K - 1120	1120	



VINTAGE

LED 0.8W S14 27K - 1207

SKU: 1207

0.8WW

70 lm lm

2700K CCT

E26 / Medium Base

120V

360° Beam

≥ 80 CRI



Non-Dimmable

25,000 Hrs L70

Ø45 mm x 86 mm mm (1-3/4" x 3-3/8")

Wet Location

cETLus

3 Years Warranty



LED 5.5W ST19 22K - 983

SKU: 983

5.5WW

400 lm lm

2200K CCT

E26 / Medium Base

120VAC

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø59 mm x 128 mm mm (2-5/16" x 5-1/32")

Enclosed Fixtures

cUL

2 Years Warranty



LED 5.5W ST19-X 22K - 1166 (Coming Soon)

SKU: 1166

5.5WW

400 lm lm

2200K CCT

E26 / Medium Base

120VAC

360° Beam

≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø59 mm x 128 mm mm (2-5/16" x 5-1/32")

Enclosed Fixtures, Damp Location

cUL

2 Years Warranty

No Image



LED 5.5W ST19-X xxK

5.5WW
 500 lm lm
 2700K–4000K CCT
 E26 / Medium Base Base
 120VAC
 360° Beam
 ≥ 80 CRI

Dimmable
 15,000 Hrs L70
 Ø64 mm × 136 mm mm (2-1/2" × 5-3/8")
 Enclosed Fixtures, Damp Location
 cUL
 2 Years Warranty



CCT	Model	SKU	Spec Sheet
2700K	LED 5.5W ST19-X 27K - 1167	1167	
3000K	LED 5.5W ST19-X 30K - 1168	1168	
4000K	LED 5.5W ST19-X 40K - 1169	1169	

LED 6.5W ST19-WH 30K - 1197

SKU: 1197
 6.5WW
 800 lm lm
 3000K CCT
 E26 / Medium Base
 120VAC
 360° Beam
 ≥ 80 CRI

Dimmable
 15,000 Hrs L70
 Ø60 mm × 136 mm mm (2-3/8" × 5-3/8")
 Enclosed Fixtures, Damp Location
 cETLus
 2 Years Warranty



LED 8.8W ST19-R 30K - 1172

SKU: 1172
 8.8WW
 800 lm lm
 3000K CCT
 E26 / Medium Base Base
 120VAC
 360° Beam
 ≥ 80 CRI

Dimmable
 15,000 Hrs L70
 Ø58 mm × 134 mm mm (2-9/32" × 5-1/4")
 Enclosed Fixtures, Damp Location
 cUL
 2 Years Warranty





T-TYPE

LED 4.5W T10-FL DIM 30K - 831

SKU: 831

4.5WW

450 lm lm

3000K CCT

E26 / Medium Base

110V-130V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø32.5 mm × 125 mm mm (1-1/4" × 4-15/16")

Enclosed Fixtures

cUL

2 Years Warranty



LED 3.5W T25 30K - 1050

SKU: 1050

3.5WW

350 lm lm

3000K CCT

E12 / Candelabra Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø25 mm × 83 mm mm (1" × 3-1/4")

Enclosed Fixtures

cUL

2 Years Warranty



LED 3.5W T25-ML 30K - 1137

SKU: 1137

3.5WW

300 lm lm

3000K CCT

E12 / Candelabra Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø25 mm × 83 mm mm (1" × 3-1/4")

Enclosed Fixtures

cUL

2 Years Warranty





LED 8W T30 27K - 1046

SKU: 1046

8WW

750 lm lm

2700K CCT

E26 / Medium Base Base

120V

360° Beam

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø30mm × 295 mm mm (1-3/16" × 11-5/8")

Enclosed Fixtures

cUL

2 Years Warranty





MINIATURE

LED3WE11-DIM 3000K - 899

SKU: 899

3WW

300 lm lm

3000K CCT

E11 / Minican Base

120VAC

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø17.5 mm × 49.5 mm mm (11/16" × 1-15/16")

Not for Enclosed Fixtures

cTUVus

2 Years Warranty



LED1.5WG4SM 30K - 929

SKU: 929

1.5WW

185 lm lm

3000K CCT

G4 Base

12VAC / 12VDC

≥ 80 CRI



Dimmable

15,000 Hrs L70

10 mm × 9 mm × 33 mm mm (3/8" × 11/32" × 1-5/16")

Enclosed Fixtures

cETLus

2 Years Warranty



LED3WG9-DIM 3000K - 878

SKU: 878

3WW

300 lm lm

3000K CCT

G9 Base

120VAC

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø15 mm × 49 mm mm (19/32" × 1-15/16")

Enclosed Fixtures

cTUVus

2 Years Warranty







LED3WG9-DIM xxK

3WW
300 lm lm
4100K–5000K CCT
G9 Base
120VAC
≥ 80 CRI

Dimmable
15,000 Hrs L70
Ø17.5 mm × 48 mm mm (11/16" × 1-7/8")
Enclosed Fixtures
cTUVus
2 Years Warranty



CCT	Model	SKU	Spec Sheet
4100K	LED3WG9-DIM 4100K - 879	879	
5000K	LED3WG9-DIM 5000K - 1080	1080	

LED4.5WG9-DIM xxK

4.5WW
450 lm lm
3000K–4000K CCT
G9 Base
120VAC
≥ 80 CRI

Dimmable
15,000 Hrs L70
Ø19 mm × 48 mm mm (3/4" × 1-7/8")
Enclosed Fixtures
cETLus
2 Years Warranty



CCT	Model	SKU	Spec Sheet
3000K	LED4.5WG9-DIM 30K - 1179	1179	
4000K	LED4.5WG9-DIM 40K - 1180	1180	



J-TYPE LINEAR

LED 7W J78SM-DIM 30K - 1130

SKU: 1130

7WW

750 lm lm

3000K CCT

R7s Base

120VAC

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø21 mm × 55 mm mm (13/16" × 2-3/16")

Not for Enclosed Fixtures

cETLus

2 Years Warranty



LED 6W J78SM-DIM 40K - 1131

SKU: 1131

6WW

600 lm lm

4000K CCT

R7s Base

120VAC

≥ 80 CRI



Dimmable

15,000 Hrs L70

Ø23 mm × 78 mm mm (29/32" × 3-1/16")

Not for Enclosed Fixtures

cTUVus

2 Years Warranty



LED 6W J78 xxK

6WW

750 lm lm

3000K–4000K CCT

R7s - Offset Base

120VAC

≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø30 mm × 78 mm mm (1-3/16" × 3-1/16")

Not for Enclosed Fixtures

cTUVus

2 Years Warranty



CCT	Model	SKU	Spec Sheet
3000K	LED 6W J78 3000K - 956	956	
4000K	LED 6W J78 4100K - 957	957	



LED 14W J118 xxK

14WW

1400 lm lm

3000K–4000K CCT

R7s Base

120VAC

≥ 80 CRI

15,000 Hrs L70

Ø30 mm × 78 mm mm (1-5/32" × 3-1/16")

Not for Enclosed Fixtures

cTUVus

2 Years Warranty



CCT	Model	SKU	Spec Sheet
3000K	LED 14W J118 30K - 981	981	
4000K	LED 14W J118 40K - 1132	1132	



BASE ADAPTERS

E26 to E12 Adapter - 887

SKU: 887



GU24 to E26 Adapter - 886

SKU: 886





GU10

LED6.5WGU10-CB xxK

6.5WW

500 lm lm

2700K–4000K CCT

GU10 Base

120VAC

40° Beam

≥ 80 CRI

Dimmable




25,000 Hrs L70

Ø50 mm x 54 mm mm (1-31/32" x 2-1/8")

Damp Location, Recessed

cUL

3 Years Warranty

CCT	Model	SKU	Spec Sheet
2700K	LED6.5WGU10-CB 27K - 933	933	
3000K	LED6.5WGU10-CB 30K - 934	934	
4000K	LED6.5WGU10-CB 40K - 951	951	





MR11

LED 3W MR11 - 1116

SKU: 1116

3WW

200 lm lm

3000K CCT

GU4 Base

12VAC / 12VDC

30° Beam



≥80 CRI

Dimmable

15,000 Hrs L70

Ø34 mm x 37 mm mm (1-5/16" x 1-7/16")

cUL

3 Years Warranty





MR16

LED6.5WMR16-ED 27K- 858

SKU: 858

6.5WW

500 lm lm

2700K CCT

GU5.3 Base

12VAC / 12VDC

35° Beam



≥92 CRI

Dimmable

25,000 Hrs L70

Ø50 mm × 48.2 mm mm (1-31/32" × 1-7/8")

cUL

3 Years Warranty



LED6.5WMR16-ED 30K - 1193

SKU: 1193

6.5WW

500 lm lm

3000K CCT

GU5.3 Base

12VAC / 12VDC

35° Beam

≥90 CRI



Dimmable

25,000 Hrs L70

Ø50 mm × 48.2 mm mm (1-15/16" × 1-7/8")

Enclosed Fixtures, Damp Location

cUL

2 years Warranty



LED7WMR16-CB 40K - 914

SKU: 914

6.5WW

500 lm lm

4000K CCT

GU5.3 Base

12VAC / 12VDC

35° Beam



≥92 CRI

Dimmable

25,000 Hrs L70

Ø50 mm × 48.2 mm mm (1-31/32" × 1-7/8")

cUL

3 Years Warranty





PAR

LED6WPar16-SRT xxK

6WW
 500 lm lm
 3000K–4000K CCT
 E26 / Medium Base
 120VAC
 40° Beam

≥ 80 CRI
 Dimmable
 15,000 Hrs L70
 Ø50 mm × 57 mm mm (1-31/32" × 2-1/4")
 cUL
 3 Years Warranty



CCT	Model	SKU	Spec Sheet
3000K	LED6WPar16-SRT 30K - 1028	1028	
4000K	LED6WPar16-SRT 40K - 1029	1029	

LED 6.5W Par16 4000K - 861

SKU: 861
 6.5WW
 500 lm lm
 4000K CCT
 E26 / Medium Base
 120VAC
 40° Beam

≥ 80 CRI
 Dimmable
 25,000 Hrs L70
 Ø50 mm × 72 mm mm (1-31/32" × 2-13/16")
 cUL
 2 Years Warranty



LED5WPar20-5CCT - 1217

SKU: 1217
 5WW
 500 lm lm
 5CCT - 2700K / 3000K / 3500K / 4000K / 5000K
 E26 / Medium Base
 120VAC
 40° Beam

≥ 80 CRI
 Dimmable
 15,000 Hrs L70
 Ø63 mm × 87 mm mm (2-1/2" × 3-7/16")
 cUL
 3 Years Warranty





LED9WPar30L-5CCT - 1218

SKU: 1218

9WW

800 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

E26 / Medium Base

120VAC

40° Beam



≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø95 mm × 116 mm mm (3-6/8" × 4-9/16")

cUL

3 Years Warranty



LED9WPar30S-5CCT 1219

SKU: 1219

9WW

800 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

E26 / Medium Base

120VAC

40° Beam



≥ 80 CRI

Dimmable

15,000 Hrs L70

Ø95 mm × 93 mm mm (3-6/8" × 3-11/16")

cUL

3 Years Warranty



LED12WPar38-5CCT - 1031

SKU: 1031

12WW

1200 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

E26 / Medium Base

120VAC

40° Beam

≥80 CRI



Dimmable

25,000 Hrs L70

Ø120 mm × 127.5 mm mm (4-3/4" × 5-1/32")

Wet Location, Enclosed Fixture

cUL

3 Years Warranty





BR

LED7WBR30-5CCT - 1121

SKU: 1121

7WW

650 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

E26 / Medium Base

120VAC

110° Beam

≥80 CRI



Dimmable

15,000 Hrs L70

Ø95 mm x 131 mm mm (3-3/4" x 5-3/16")

Damp Location

cUL

3 Years Warranty





RECESSED

PANELS

DP4-5CCT - 5CCT - 1100

SKU: 1100

9WW

650 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

110° Beam



≥80 CRI

Dimmable

50,000 Hrs L70

Ø124 mm × 24 mm mm (4-7/8" × 15/16")

Wet Location, Type IC, Airtight

cULus, Type IC



DP4-FR-5CCT - 1123

SKU: 1123

12WW

800 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

110° Beam



≥ 80 CRI

Dimmable

50,000 Hrs L70

Wet Location, Type IC, Airtight

cETLus, 2-Hour Fire-Rated, Wet Location, Type IC, Airtight



DP6-30K - 1099

SKU: 1099

12WW

900 lm lm

3000K CCT

Hardwire Base

120VAC



110° Beam

≥80 CRI

Dimmable

35,000 Hrs L70

Wet Location, Type IC, Airtight





DP6-FR-5CCT 1124

SKU: 1124

15WW

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

110° Beam



≥80 CRI

Dimmable

50,000 Hrs L70

Wet Location, Type IC, Airtight

cETLus, 2-Hour Fire-Rated, Wet Location, Type IC, Airtight



DPS-4-5CCT - 1081

SKU: 1081

9WW

700 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire (E26 Optional with Accessory Kit) Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø125 mm x 28 mm mm (4-7/8" x 1-7/8")

Wet Location

cETLus, Type IC Rated

5 Years Warranty





GIMBAL

DGIM-4-3CCT-BK - 1089

SKU: 1089

9WW

755 lm @ 3000K; 880 lm @ 4000K; 900 lm @ 5000K lm

3CCT - 3000K / 4000K / 5000K

Hardwire Base

120VAC

40° Beam



≥ 80 CRI

Dimmable

50,000 Hrs L70

Damp Location, Type IC Rated

cETLus



DGIM-4-5CCT-BK - 1155

SKU: 1155

9WW

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

40° Beam



≥ 80 CRI

Dimmable

50,000 Hrs L70

Damp Location, Type IC Rated

cETLus



DGIM-4-5CCT-WH - 1154

SKU: 1154

9WW

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

40° Beam



≥ 80 CRI

Dimmable

50,000 Hrs L70

Damp Location, Type IC Rated

cETLus





TL4-5CCT-BK-12W - 1141

SKU: 1141

12WW

900 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

30° Beam

≥ 80 CRI

Dimmable

50,000 Hrs L70

Ø125 mm x 36 mm mm (4-7/8" x 1.38")

Wet Location, Type IC

cETLus

5 Years Warranty

TL4-5CCT-WH-12W - 1140

SKU: 1140

12WW

900 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

30° Beam

≥ 80 CRI

Dimmable

50,000 Hrs L70

Ø125 mm x 36 mm mm (4-7/8" x 1.38")

Wet Location, Type IC

cETLus

5 Years Warranty





EYEBALL

DG-4-345K-WH - 1038

SKU: 1038

12WW

3CCT - 3000K / 4000K / 5000K

Hardwire Base

120VAC

40° Beam

≥ 90 CRI

Dimmable

50,000 Hrs L70

Wet Location, Type IC

cETLus

5 Years Warranty



RG-4-xxK-WH

12WW

300K–3000K CCT

Hardwire Base

120VAC

40° Beam

≥ 90 CRI

Dimmable

50,000 Hrs L70



CCT	Model	SKU	Spec Sheet
3CCT - 3000K / 4000K / 5000K	RG-4-345K-WH - 1041	1041	
3000K	RG-4-30K-WH - 1102	1102	

RG-4-345K-BK - 1040

SKU: 1040

12WW

3CCT - 3000K / 4000K / 5000K

Hardwire Base

120VAC

40° Beam

≥ 90 CRI

Dimmable

50,000 Hrs L70





RG-4-5CCT-WH - 1125

SKU: 1125

12WW

5CCT - 2700K / 3000K / 3500K / 4000K /
5000K

Hardwire Base

120VAC

40° Beam



≥90 CRI

Dimmable

50,000 Hrs L70

5 Years Warranty





RETROFIT

LED7WRT4-5CCT - 1106

SKU: 1106

7WW

650 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

120° Beam



≥ 80 CRI

50,000 Hrs L70

Ø128 mm x 37 mm mm (5-3/64" x 1-1/2")

Damp Location, Type IC Rated

cETLus

5 Years Warranty



LED9WRT5/6-5CCT - 1017

SKU: 1017

9WW

850 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

120° Beam



≥ 80 CRI


50,000 Hrs L70

Ø185 mm x 37 mm mm (7-5/16" x 1-1/2")

Damp Location, Type IC Rated

cETLus

5 Years Warranty



LED RT6-3x3CCT-AK - 1134

SKU: 1134

7W / 10W / 17WW

700 lm / 1000 lm / 1500 lm lm

3CCT - 3000K / 3500K / 4000K

5-3/16" / 131 mm Base



120VAC - 347VAC

Dimmable

50,000 Hrs L70








ACCESSORIES


RT6-GOOF8 - 1057

SKU: 1057



RIP-35

CCT	Model	SKU	Spec Sheet
	RIP-35 - 1079	1079	
	RIP-4 - 885	885	




RIP-6 - 888

SKU: 888




G-59 Vapour Barrier - 1024

SKU: 1024





VB02 Vapour Barrier - 1025

SKU: 1025





DP-4-BK Trim

CCT	Model	SKU	Spec Sheet
	DP-4-BK Trim - 1042	1042	
	DP-6-BK-Trim - 1043	1043	



DPS-4-BK-TRIM - 1082

SKU: 1082



DPS-4-BN-TRIM - 1083

SKU: 1083


9WW

650 lm lm



120VAC

35,000 Hrs L70



DPS-ACC - 1084

SKU: 1084

9WW

650 lm lm

E26 Accessory Kit Base



120VAC

35,000 Hrs L70





FLUSH MOUNTS

HELEN

CL-TBBG-15-5CCT - 601

SKU: 601

28WW

2000 lm lm

5CCT - 2700K / 3000K / 4000K / 5000K / 6500K

Hardwire Base

120VAC

120° Beam

≥80 CRI

Dimmable

50,000 Hrs L70

Ø378 mm x 74 mm mm (15" x 2-7/8")

Damp Location

cETLus

5 Years Warranty



CL-TBWB-15-5CCT - 602

SKU: 602

28WW

2000 lm lm

5CCT - 2700K / 3000K / 4000K / 5000K / 6500K

Hardwire Base

120VAC

120° Beam

≥80 CRI

Dimmable

50,000 Hrs L70

Ø378 mm x 74 mm mm (15" x 2-7/8")

Damp Location

cETLus

5 Years Warranty





CL-TBWG-15-5CCT - 603

SKU: 603

28WW

2000 lm lm

5CCT - 2700K / 3000K / 4000K / 5000K /
6500K

Hardwire Base

120VAC

120° Beam

≥80 CRI



Dimmable

50,000 Hrs L70

Ø378 mm × 74 mm mm (15" × 2-7/8")

Damp Location

cETLus

5 Years Warranty





2-RING

CL-2R-12-5CCT BN - 1204

SKU: 1204

15WW

1100 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

≥ 80 CRI



Dimmable

50,000 Hrs L70

Damp Location

cETLus

5 Years Warranty



CL-2R-12-5CCT BK - 1136

SKU: 1136

15WW

1100 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

≥ 80 CRI



Dimmable

50,000 Hrs L70

Damp Location

cETLus

5 Years Warranty



CL-2R-16-5CCT BN - 1045

SKU: 1045

16W / 22W / 30WW

1067 lm / 1467 lm / 2000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

≥ 80 CRI



Dimmable

50,000 Hrs L70

Damp Location

cETLus

5 Years Warranty





CL-2R-16-5CCT BK - 1085

SKU: 1085

16W / 22W / 30WW

1067 lm / 1467 lm / 2000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K /
5000K

Hardwire Base

120VAC

≥ 80 CRI

Dimmable

50,000 Hrs L70

Damp Location

cETLus

5 Years Warranty





DISKS

DPS-4-5CCT - 1081

SKU: 1081

9WW

700 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire (E26 Optional with Accessory Kit) Base

120VAC

110° Beam

≥ 80 CRI

Dimmable

50,000 Hrs L70

Ø125 mm x 28 mm mm (4-7/8" x 1-7/8")

Wet Location

cETLus, Type IC Rated

5 Years Warranty



DPM-4-5CCT - 1201

SKU: 1201

9WW

650 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K


Hardwire (E26 Optional with Accessory Kit) Base

120VAC

38° Beam

≥ 80 CRI

35,000 Hrs L70



DS-12-3CCT BK - 1109

SKU: 1109

24WW

2800 lm lm

3CCT - 3000K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI

Dimmable

50,000 Hrs L70





DS-15-3CCT WH - 1128

SKU: 1128

30WW

4000 lm lm

3CCT - 3000K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam



≥ 80 CRI

Dimmable

50,000 Hrs L70

Damp Location

cETLus



DS-15-5CCT BK - 1157

SKU: 1157

30WW

4000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam



≥ 80 CRI

Dimmable

50,000 Hrs L70

Damp Location

cETLus



DSK-5-5CCT-WH - 910

SKU: 910

8WW

750 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø137 mm × 17 mm mm (5-1/16" × 5/8")

Damp Location

cETLus

5 Years Warranty





DSK-7-5CCT-BK - 1182

SKU: 1182

12WW

1000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø179 mm × 17 mm mm (7-1/16" × 5/8")

Damp Location

cETLus

5 Years Warranty



DSK-7-5CCT-WH - 1181

SKU: 1181

12WW

1000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø179 mm × 17 mm mm (7-1/16" × 5/8")

Damp Location

cETLus

5 Years Warranty



DSK-9-5CCT-BK - 1184

SKU: 1184

18WW

1500 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø216 mm × 17 mm mm (8.5" × 5/8")

Damp Location

cETLus

5 Years Warranty



DSK-9-5CCT-WH - 1183

SKU: 1183

18WW

1500 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø216 mm × 17 mm mm (8.5" × 5/8")

Damp Location

cETLus

5 Years Warranty



DSK-12-5CCT-BK - 1186

SKU: 1186

24WW

2000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø299 mm × 17 mm mm (11-12/16" × 5/8")

Damp Location

cETLus

5 Years Warranty



DSK-12-5CCT-WH - 1185

SKU: 1185

24WW

2000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø299 mm × 17 mm mm (11-12/16" × 5/8")

Damp Location

cETLus

5 Years Warranty





DSK-15-5CCT-WH - 169

SKU: 169

32WW

2650 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø380 mm × 17 mm mm (15-1/16" × 5/8")

Damp Location

cETLus

5 Years Warranty



DSK-19-5CCT-WH - 1199

SKU: 1199

40WW

3300 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire - 4" J-Box Base

120VAC

110° Beam

≥ 80 CRI



Dimmable

50,000 Hrs L70

Ø480 mm × 17 mm mm (19-1/16" × 5/8")

Damp Location

cETLus

5 Years Warranty





MUSHROOM

CL-11-5CCT - 1205

SKU: 1205

18WW

1200 lm lm

5CCT - 2700K / 3000K / 4000K / 5000K / 6500K

Hardwire Base

120VAC

≥80 CRI



Dimmable

50,000 Hrs L70

Damp Location

cETLus

5 Years Warranty



CL-13-5CCT - 1206

SKU: 1206

20WW

1600 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC



≥ 80 CRI

Dimmable

50,000 Hrs L70

5 Years Warranty





SENSOR

CL-6-PIR - 978

SKU: 978

10WW

600 lm lm

3000K CCT

Hardwire Base

120VAC

≥ 80 CRI

Non-Dimmable

50,000 Hrs L70

Damp Location

cETLus

5 Years Warranty



CL-9-PhotoPIR - 1055

SKU: 1055

18WW

1350 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K /
5000K

Hardwire Base

120VAC

120° Beam

≥80 CRI

Non-Dimmable

50,000 Hrs L70

Ø226 mm × 25 mm mm (8-5/16" × 1")

Damp Location

cETLus

3 Years Warranty





SQUARE

LED DSQ-4-30K - 952

SKU: 952

10WW

600 lm lm

3000K CCT

Hardwire - 4" J-BOX Base

120VAC

110° Beam



≥ 80 CRI


50,000 Hrs L70

111 mm × 111 mm × 17 mm mm (4-3/8" × 4-3/8" × 5/8")

Wet Location

cETLus

5 Years Warranty



LED DSQ-6-30K - 953

SKU: 953

15WW

900 lm lm

3000K CCT

Hardwire - 4" J-Box Base

120VAC

110° Beam



≥ 80 CRI

50,000 Hrs L70

Wet Location

cETLus

5 Years Warranty






ACCESSORIES

DPS-4-BK-TRIM - 1082

SKU: 1082



DPS-4-BN-TRIM - 1083

SKU: 1083


9WW

650 lm lm



120VAC

35,000 Hrs L70



DPS-ACC - 1084

SKU: 1084

9WW


650 lm lm

E26 Accessory Kit Base



120VAC

35,000 Hrs L70



DPM-4 BK Trim - 1202

SKU: 1202



DPM-4 BN Trim - 1203

SKU: 1203



VANITY LIGHTS

LINDA

VL-A2F-5CCT BK - 631

SKU: 631

23WW

2000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

≥80 CRI



Dimmable

50,000 Hrs L70

629 mm x 94 mm x 112 mm mm (24-13/16" x 3-12/16" x 4-7/16")

Damp Location

cETLus

5 Years Warranty



VL-A2F-5CCT BN - 632

SKU: 632

23WW

2000 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

≥80 CRI



Dimmable

50,000 Hrs L70

629 mm x 94 mm x 112 mm mm (24-13/16" x 3-12/16" x 4-7/16")

Damp Location

cETLus

5 Years Warranty



VL-A3F-5CCT BK - 633

SKU: 633

30WW

2500 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K

Hardwire Base

120VAC

≥80 CRI



Dimmable

50,000 Hrs L70

898 mm x 94 mm x 112 mm mm (35-3/8" x 3-12/16" x 4-7/16")

Damp Location

cETLus

5 Years Warranty





VL-A3F-5CCT BN - 634

SKU: 634

30WW

2500 lm lm

5CCT - 2700K / 3000K / 3500K / 4000K /
5000K

Hardwire Base

120VAC

≥80 CRI



Dimmable

50,000 Hrs L70

898 mm × 94 mm × 112 mm mm (35-3/8" × 3-
12/16" × 4-7/16")

Damp Location

cETLus

5 Years Warranty





UNDER CABINET

PUCKS

LED2WRD1-30K - 1129

SKU: 1129

2WW

160 lm lm

3000K CCT

Hardwire Base

12VDC - Constant Voltage

45° Beam




≥80 CRI

Dimmable

50,000 Hrs L70

cETLus

5 Years Warranty



LED3WPUCK-3CCT BK - 823

SKU: 823

3WW

240 lm lm

3CCT - 3000K / 4000K / 5000K

Hardwire - 4Ft Pigtail Base

12VDC - Constant Voltage

120° Beam



≥80 CRI

Dimmable

50,000 Hrs L70

Ø70 mm × 11 mm mm (2-3/4" × 7/16")

cETLus

3 Years Warranty



LED3WPUCK-3CCT SN - 824

SKU: 824

3WW

240 lm lm

3CCT - 3000K / 4000K / 5000K

Hardwire - 4Ft Pigtail Base

12VDC - Constant Voltage

120° Beam



≥80 CRI

Dimmable

50,000 Hrs L70

Ø70 mm × 11 mm mm (2-3/4" × 7/16")

cETLus

3 Years Warranty



LED3WPUCK-3CCT WH - 825

SKU: 825

3WW

240 lm lm

3CCT - 3000K / 4000K / 5000K

Hardwire - 4Ft Pigtail Base

12VDC - Constant Voltage

120° Beam

≥80 CRI

Dimmable

50,000 Hrs L70

Ø70 mm × 11 mm mm (2-3/4" × 7/16")

cETLus

3 Years Warranty



PUCK-TRIM BK - 743

SKU: 743

Ø70 mm × 15 mm mm (2-3/4" × 9/16")



PUCK-TRIM SN - 744

SKU: 744

Ø70 mm × 15 mm mm (2-3/4" × 9/16")



PUCK-TRIM WH - 745

SKU: 745

Ø70 mm × 15 mm mm (2-3/4" × 9/16")



LED3WPuck 30K - 902

SKU: 902

3000K CCT

Dimmable

3 Years Warranty





LED-SMRing - 905

SKU: 905

3000K CCT

Dimmable



Ø62 mm × 12 mm mm (2-7/16" × 1/2")

3 Years Warranty



PANEL

LED6WPanel 30K - 904

SKU: 904

3000K CCT

Dimmable

3 Years Warranty






LINEAR

T5Bar-11-5CCT

5WW	≥80 CRI
420 lm lm	Dimmable
500K–500K CCT	50 Hrs L70
Hardwire Base	cETLus
120VAC	5 years Warranty

CCT	Model	SKU	Spec Sheet
5CCT - 2700K / 3000K / 3500K / 4000K / 5000K	T5Bar-11-5CCT - 1091	1091	
5CCT - 2700K / 3000K / 3500K / 4000K / 5000K	T5Bar-24-5CCT - 1092	1092	
5CCT - 2700K / 3000K / 3500K / 4000K / 5000K	T5Bar-36-5CCT - 1093	1093	
5CCT - 2700K / 3000K / 3500K / 4000K / 5000K	T5Bar-48-5CCT - 1094	1094	



T5Bar-Jbox - 1095

SKU: 1095
120VAC



T5Bar-Link12

120VAC

CCT	Model	SKU	Spec Sheet
	T5Bar-Link12 - 1090	1090	
	T5DL-1M-LINK - 992	992	



T5Bar-Plug - 1096

SKU: 1096

120VAC



T5Bar-Accessories - 1126

SKU: 1126



T5DL900-12W xxK

12WW

1440 lm lm

4000K–4000K CCT

120VAC

≥80 CRI

Dimmable

50,000 Hrs L70

cETLus

5 years Warranty

CCT	Model	SKU	Spec Sheet
4000K	T5DL900-12W 40K - 971	971	
4000K	T5DL1200-15W 40K - 972	972	

T5DL Jbox/LSH-Box - 974

SKU: 974





T5DL-2M-Plug - 973

SKU: 973



LSH-Plug2m - 845

SKU: 845



LED LS-1

4.2 WW
4000K–4000K CCT
120V Receptacle Base
120VAC
≥80 CRI


Non-Dimmable
40,000 Hrs L70
343 mm × 22 mm × 42.5 mm mm
cETLus
5 years Warranty



CCT	Model	SKU	Spec Sheet
4000K	LED LS-1 - 763	763	
4000K	LED LS-2 - 764	764	

LS Link-6 - 767


SKU: 767





LS Link-12 -768

SKU: 768








RIBBON & ACCESSORIES

RL-COB-xxK-20FT


3000K—4000K CCT

CCT	Model	SKU	Spec Sheet
3000K	RL-COB-30K-20FT - 1009	1009	
4000K	RL-COB-40K-20FT - 1138	1138	




RL-COB-6LE - 1145

SKU: 1145



RL-COB-12EX - 1146

SKU: 1146



RL-COB-RWC - 1144

SKU: 1144





RL-COB-20FTWires - 1147

SKU: 1147




RL-COB-IC - 1143

SKU: 1143



RL-COB-LC - 1142

SKU: 1142



RL-COB-TC - 1139

SKU: 1139



IFP09-1M - 1153

SKU: 1153





FP20-1M - 994

SKU: 994



FP20-CAPS - 995

SKU: 995



FP20-M-CLIPS - 998

SKU: 998



RP20-1M - 996

SKU: 996



RP20-CAPS - 997

SKU: 997





RP20-S-CLIPS - 999

SKU: 999





12V LED DRIVERS

PS12W-ETL-RD - 1060

SKU: 1060

12VDC - Constant Voltage

50,000 Hrs L70

Dimmable



PS20W-ETL-RD - 1061

SKU: 1061

12VDC - Constant Voltage

50,000 Hrs L70

Dimmable



PS40W-ETL-RD - 1062

SKU: 1062

12VDC - Constant Voltage

50,000 Hrs L70

Dimmable



PS60W-ETL-RD - 1063

SKU: 1063

12VDC - Constant Voltage

50,000 Hrs L70

Dimmable



PS100W-ETL-DIM - 1035

SKU: 1035

12VDC - Constant Voltage

50,000 Hrs L70

Dimmable





PS120W-ETL-DIM - 1135

SKU: 1135

12VDC - Constant Voltage

Dimmable

50,000 Hrs L70



PS-18W-BOXDIM - 945

SKU: 945

18WW

12VDC - Constant Voltage

50,000 Hrs L70

Type IC Recessed, Damp



PS-40W-BOXDIM - 946

SKU: 946

40WW

12VDC - Constant Voltage

50,000 Hrs L70


Type IC Recessed, Damp



PS100W-DIM - 629

SKU: 629

Dimmable




PS100W-MC - 467

SKU: 467

Non-Dimmable

50,000 Hrs L70






PS150W-MC - 625

SKU: 625

Non-Dimmable

50,000 Hrs L70



PS36W-PLUG 619

SKU: 619

36WW

Non-Dimmable

50,000 Hrs L70



PS72W-PLUG - 620

SKU: 620

72WW

Non-Dimmable

50,000 Hrs L70





24V LED DRIVERS


PS40W-24V - 1148

SKU: 1148

24VDC - Constant Voltage

50,000 Hrs L70

Dimmable



PS60W-24V - 1149

SKU: 1149

24VDC - Constant Voltage

50,000 Hrs L70

Dimmable



PS80W-24V - 1150

SKU: 1150

24VDC - Constant Voltage

50,000 Hrs L70

Dimmable



PS100W-24V - 1151

SKU: 1151

24VDC - Constant Voltage

50,000 Hrs L70

Dimmable



PS150W-24V - 1152

SKU: 1152

24VDC - Constant Voltage

50,000 Hrs L70

Dimmable





PS100W-MC-24V - 1103

SKU: 1103

24VDC - Constant Voltage

Non-Dimmable





STEP LIGHTS

MINI STEP LIGHTS

LED2WRD1-30K - 1129

SKU: 1129

2WW

160 lm lm

3000K CCT

Hardwire Base

12VDC - Constant Voltage

45° Beam




≥80 CRI

Dimmable

50,000 Hrs L70

cETLus

5 Years Warranty





STEP LIGHTS

LED SL-BK - 1004

SKU: 1004

5 WattsW

120VAC



Dimmable

5 Years Warranty

LED SL-BN - 1005

SKU: 1005

5 WattsW

120VAC



Dimmable

5 Years Warranty

LED SL-WH - 1003

SKU: 1003

5 WattsW

120VAC



Dimmable

5 Years Warranty



STRING LIGHTS

S14 STRING LIGHTS

S14-String48 - 1122

SKU: 1122

15WW

70 lm lm

2700K CCT

E26 (medium) Base

110V-120VAC (US Plug)

≥ 80 CRI



Non-Dimmable

25,000 Hrs L70

IP65 Indoor / Outdoor

cETLus

2 Years Warranty





PL & PLC

PL 13W 2-PIN

LED5.5WPL13-HY 4CCT - 1214

SKU: 1214

5.5WW

620 lm lm

4CCT - 2700K / 3000K / 3500K / 4000K

GX23 2-PIN Base

120V-277VAC (Ballast Bypass)

120° Beam

≥ 80 CRI

Non-Dimmable

50,000 Hrs L70

178 mm x 32 mm x 18 mm mm (7" x 1-1/4" x 1-3/16")

Damp Location, Not for Enclosed Fixtures

cUL / cUL Classified

5 Years Warranty





PLC 13W 4-PIN

LED7WPLC13-HY 5CCT - 168

SKU: 168

7WW

≥ 80 CRI

800 lm (2700K) / 825 lm (3000K / 3500K) 850 lm (4000K / 5000K) lm Non-Dimmable

5CCT - 2700K / 3000K / 3500K / 4000K / 5000K 50,000 Hrs L70

G24Q Universal 4-Pin Base

cUL / cUL Classified

120V-277VAC (Type B Installation)

3 Years Warranty

280° Beam



LED7WPLC13-HY-xxK

7WW

Non-Dimmable

650 lm lm

40,000 Hrs L70

3000K–4000K CCT

128 mm × 37 mm × 37 mm mm (5-1/32" × 1-7/16" × 1-7/16")

G24Q Universal 4-Pin Base

Not for Enclosed Fixtures

120V-277VAC (Ballast Bypass)

cUL Classified

360° Beam

3 Years Warranty

≥ 80 CRI

CCT	Model	SKU	Spec Sheet
3000K	LED7WPLC13-HY-30K - 1023	1023	
4000K	LED7WPLC13-HY-40K - 916	916	



PLC 26W 32W 42W 4-PIN

LED9WPLC26/32/42-HY 40K - 1215

SKU: 1215

9WW

1250 lm lm

4000K CCT

G24Q 4-PIN Base

120V-277VAC (Ballast Bypass)

360° Beam

≥ 80 CRI

Non-Dimmable

50,000 Hrs L70

173 mm × 34 mm × 34 mm mm (6-7/8" × 1-3/8" × 1-3/8")

Damp Location, Not for Enclosed Fixtures

cUL Classified

5 Years Warranty



LED11WPL26/32/42-HY-30K - 917

SKU: 917

11WW

1300 lm lm

3000K CCT

G24Q / GX24Q Universal 4-Pin Base

120V-277VAC (Ballast Bypass)

360° Beam

≥ 80 CRI

Non-Dimmable

40,000 Hrs L70

Not for Enclosed Fixtures

cUL Classified

3 Years Warranty





TUBES

T8 HYBRID (TYPE A & TYPE B)

LED14WT8-HY xxK

14WW

1800 lm lm

4000K–5000K CCT

G13 Shunted & Non Shunted Base

120V-277VAC (Type B Installation)

150° Beam



≥ 80 CRI

Non-Dimmable

50,000 Hrs L70

cUL / cUL Classified / NSF / DLC 5.1

5 Years Warranty

CCT	Model	SKU	Spec Sheet
4000K	LED14WT8-HY 40K - 1014	1014	
5000K	LED14WT8-HY 50K - 1015	1015	





T8 COMPATIBLE (TYPE A)

LED11WT8-CM xxK

13WW

1800 lm lm

3500K–5000K CCT

G13 Shunted Base

180° Beam




≥ 80 CRI

Non-Dimmable

50,000 Hrs L70

cUL / DLC 5.1

5 Years Warranty

CCT	Model	SKU	Spec Sheet
3500K	LED11WT8-CM 35K - 1209	1209	
4000K	LED11WT8-CM 40K - 1210	1210	
5000K	LED11WT8-CM 50K - 1211	1211	





T8 BALLAST BYPASS 347V (TYPE B)

LED14WT8-347V 40K - 1073

SKU: 1073

14WW

1800 lm lm

4000K CCT

Double Ended Base

347VAC - Type B

230° Beam

≥82 CRI

Non-Dimmable

50,000 Hrs L70

cUL / cUL Classified / NSF

5 Years Warranty







T5 COMPATIBLE (TYPE A)

LED25WT5 840 COMP

28WW	≥80 CRI
3500 lm lm	Non-Dimmable
4000K–5000K CCT	50,000 Hrs L70
120V-277VAC (Type B Installation)	DLC, NSF, cULus
185° Beam	5 Years Warranty

CCT	Model	SKU	Spec Sheet
4000K	LED25WT5 840 COMP - 943	943	
5000K	LED25WT5 850 COMP - 955	955	



COMMERCIAL FIXTURES

STRIP LIGHT 120V-347V

LED35WSTP-3CCT - 1115

SKU: 1115

35WW

4585 lm lm

3CCT - 3500K / 4000K / 5000K

Hardwire Base

120V-347VAC



≥82 CRI

50,000 Hrs L70

1202 mm × 60.2 mm × 71.2 mm mm (47-5/16"
× 2-5/8" × 2-13/16")

cUL, DLC

5 Years Warranty



LED STP-CP - 1113

SKU: 1113





6" RECESSED DOWNLIGHT - FIELD ADJUSTABLE

LED RT6-3x3CCT-AK - 1134

SKU: 1134

7W / 10W / 17WW

700 lm / 1000 lm / 1500 lm lm

3CCT - 3000K / 3500K / 4000K


5-3/16"/ 131 mm Base



120VAC - 347VAC

Dimmable

50,000 Hrs L70

 LED RT6-3x3CCT-AK -
1134

RT6-GOOF8 - 1057

SKU: 1057





FLOOD LIGHT - TRUNION

TP-FL30-G3T-R5 - 988

SKU: 988

Non-Dimmable





WALL PACK

WP145W50KBZ-347V - 895

SKU: 895

145WW

5000K CCT

Non-Dimmable





EMERGENCY & EXIT

EXIT LIGHTS

LED EX100-SP - 989

SKU: 989

2WW

120V-347VAC

335 mm x 50 mm x 230 mm mm (13.2" x 2" x 9")

Damp Location

cCSAus

5 Years Warranty



LED EX101-CB - 990

SKU: 990

6WW

120V-347VAC

335 mm x 80 mm x 305 mm mm (13.2" x 3.15" x 12")

Damp Location

cCSAus

5 Years Warranty





EMERGENCY LIGHTS

BP-36W - 1067

SKU: 1067

36WW

100V-347VAC

300 mm x 75 mm x 140 mm mm (11.8" x 3" x 5.5")



Damp Location

cCSAus

5 Years Warranty



BP-72W - 1068

SKU: 1068

72WW

100V-347VAC

310 mm x 70 mm x 200 mm mm (12.2" x 2.75" x 7.87")



Damp Location

cCSAus

5 Years Warranty



RH-1 - 1069

SKU: 1069

2WW

130 lm lm

Diameter 5 inches / 128 mm Base

6V-12VDC



Ø128 mm x 140 mm mm (5" x 5.5")

Damp Location

cCSAus

5 Years Warranty



RH-2 - 1070

SKU: 1070

4W (2 x 2W)W

260 lm (2 x 130 lm) lm

Diameter 5 inches / 127 mm Base

6V-12VDC



Ø127 mm x 123 mm mm (5" x 4.9")

Damp Location

cCSAus

5 Years Warranty





OTHERS

HALOGEN

J78-75W 120V

75WW
1050 lm lm
2900K–2900K CCT

R7s Base
120VAC
1,500 Hrs L70

CCT	Model	SKU	Spec Sheet
2900K	J78-75W 120V - 419	419	
2900K	J78-100W 120V - 420	420	



G9-40W 120V

40WW
500 lm lm
2900K–2900K CCT

G9 Base
120VAC
2,000 Hrs L70

CCT	Model	SKU	Spec Sheet
2900K	G9-40W 120V - 313	313	
2900K	G9-50W 120V - 197	197	

JD 130V 50W E11 - 68

50WW
750 lm lm
2900K–2900K CCT

E11 - Mini Candelabra Base
120VAC
2,000 Hrs L70

CCT	Model	SKU	Spec Sheet
2900K	JD 130V 50W E11 - 68	68	
2900K	JD 130V 75W E11 - 89	89	
2900K	JD E11-100W 120V - 49	49	





JCDR GU10 50W (No Cover)

50WW 120VAC
2900K–2900K CCT 38° Beam

CCT	Model	SKU	Spec Sheet
2900K	JCDR GU10 50W (No Cover) - 405	405	—
2900K	JCDR+C GU10 20W - 189	189	—



JDR+C 50W - 46

50WW 120VAC
2900K–2900K CCT

CCT	Model	SKU	Spec Sheet
2900K	JDR+C 50W - 46	46	—
2900K	JDR+C 75W - 47	47	—
2900K	JDR+C 100W - 48	48	—

PAR16 50W FL - 105

SKU: 105
50WW 120VAC
2900K CCT



MR16 12V 20W ESX

20WW 12VAC
2900K–2900K CCT 12° Beam

CCT	Model	SKU	Spec Sheet
2900K	MR16 12V 20W ESX - 116	116	—
2900K	MR16 12V 35W FMV - 150	150	—
2900K	MR16 12V 42W EYP - 218	218	—
2900K	MR16 12V 50W FNV - 113	113	—
2900K	MR16 12V 50W EXZ - 199	199	—
2900K	MR16 12V 50W EXT - 6	6	—
2900K	MR16 12V 75W EYC - 1	1	—
2900K	MR16 12V 50W EXN+C FROSTED - 314	314	—





XENON MR16 20W BAB+C - 436

SKU: 436

20WW

2900K CCT

12VAC

36° Beam



IGLOO MR16 50W EXN+C - 412

SKU: 412

50WW

2900K CCT

12VAC

36° Beam



DAYLIGHT MR16 50W EXN+C

50WW

5000K–5000K CCT

12VAC

36° Beam

CCT	Model	SKU	Spec Sheet
5000K	DAYLIGHT MR16 50W EXN+C - 459	459	—
5000K	DAYLIGHT MR16 50W EXZ+C - 460	460	—



MR11 12V 20W FTD - 88

20WW

2900K–2900K CCT

12VAC

30° Beam

CCT	Model	SKU	Spec Sheet
2900K	MR11 12V 20W FTD - 88	88	—
2900K	MR11 12V 20W FTD+C - 134	134	—
2900K	MR11 12V 20W FTD+C XENON - 440	440	—



JC 12V 75W G6.35

75WW

2900K–2900K CCT

G6.35 Base

12VAC

CCT	Model	SKU	Spec Sheet
2900K	JC 12V 75W G6.35 - 392	392	—
2900K	XENON JC 12V 50W G6.35 - 373	373	—
2900K	JCD 130V 35W G6.35 - 35	35	—
2900K	JCD 130V 50W G6.35 - 103	103	—
2900K	JCD 130V 75W G6.35 - 212	212	—
2900K	JCD 130V 100W G6.35 - 141	141	—





J 120V 78mm 150W

150WW

R7s Base

2900K–2900K CCT

120VAC

CCT	Model	SKU	Spec Sheet
2900K	J 120V 78mm 150W - 422	422	—
2900K	J 120V 118mm 100W - 194	194	—
2900K	J 120V 118mm 150W - 416	416	—
2900K	J 120V 118mm 200W - 417	417	—
2900K	J 120V 118mm 300W - 418	418	—
2900K	J 130V 78mm 150W - 14	14	—
2900K	J 130V 78mm 200W - 183	183	—
2900K	J 130V 78mm 250W - 224	224	—
2900K	J 130V 118mm 100W - 118	118	—
2900K	J 130V 118mm 150W - 119	119	—
2900K	J 130V 118mm 300W - 16	16	—
2900K	J 130V 189mm 1000W - 19	19	—
2900K	J 130V 254mm 1000W - 21	21	—
2900K	J 240V 118mm 500W - 18	18	—
2900K	J 240V 189mm 1000W - 20	20	—
2900K	J 240V 254mm 1000W - 283	283	—
2900K	J 240V 254mm 1500W - 23	23	—

JCD 130V 25W G9 FROSTED

25WW

G9 Base

2900K–2900K CCT

130VAC

CCT	Model	SKU	Spec Sheet
2900K	JCD 130V 25W G9 FROSTED - 369	369	—
2900K	XENON JCD 120V 60W FROSTED G9 - 376	376	—



JCD 130V 75W G9 - 589

SKU: 589

75WW

G9 Base

2900K CCT

130VAC





JCD 130V 20W G8

20WW

G8 Base

2900K–2900K CCT

120VAC

CCT	Model	SKU	Spec Sheet
2900K	JCD 130V 20W G8 - 610	610	—
2900K	JCD 130V 50W G8 - 195	195	—



JD 130V 75W E11 - 89

75WW

E11 - Mini Candelabra Base

2900K–2900K CCT

120VAC

CCT	Model	SKU	Spec Sheet
2900K	JD 130V 75W E11 - 89	89	—
2900K	JD 130V 150W E11 - 50	50	—
2900K	JD 130V 250W E11 - 51	51	—



JD 130V 50W BA15d - 60

50WW

BA15D - Double Contact Bayonet Base

2900K–2900K CCT

120VAC

CCT	Model	SKU	Spec Sheet
2900K	JD 130V 50W BA15d - 60	60	—
2900K	JD 130V 75W BA15d - 62	62	—
2900K	JD 130V 100W BA15d - 63	63	—
2900K	JD 130V 150W BA15d - 64	64	—
2900K	JD 130V 250W BA15d - 67	67	—

JDD 120V 200W CLEAR - 525

SKU: 525

200WW

E26 / Medium Base

3000 lm lm

120VAC

2900K CCT

2,000 Hrs L70



JDD 120V 75W FROSTED

75WW

E26 / Medium Base

900 lm lm

120VAC

2900K–2900K CCT

2,000 Hrs L70

CCT	Model	SKU	Spec Sheet
2900K	JDD 120V 75W FROSTED - 529	529	—
2900K	JDD 120V 200W FROSTED - 129	129	—





CFL

EST-23W xxK

23WW

1600 lm lm

2700K–4100K CCT

E26 / Medium Base

110V-130VAC

≥ 80 CRI

Non-Dimmable

10,000 Hrs L70

cUL

CCT	Model	SKU	Spec Sheet
2700K	EST-23W 2700K - 594	594	—
4100K	EST-23W 4100K - 595	595	—



GU24-23W 4100K - 144

SKU: 144

23WW

1600 lm lm

4100K CCT

GU24 Base

110V-130VAC

≥ 80 CRI

Non-Dimmable

10,000 Hrs L70

cUL



EP-9W PAR20 2700K - 674

SKU: 674

9WW

2700K CCT

E26 / Medium Base

120VAC

EP-15W PAR30L 2700K - 700

SKU: 700

15WW

2700K CCT

E26 / Medium Base

120VAC



PL-5W xxK - 55

5WW

Ballast Dependent

CCT	Model	SKU	Spec Sheet
	PL-5W 2700K - 55	55	—
	PL-5W 3500K - 285	285	—
	PL-7W 3500K - 154	154	—
	PL-9W 3500K - 156	156	—



PLC-9W 2P xxK

9WW

Ballast Dependent

CCT	Model	SKU	Spec Sheet
	PLC-9W 2P 2700K - 138	138	—
	PLC-9W 2P 3500K - 161	161	—
	PLC-9W 2P 4100K - 162	162	—
	PLC-26W 2P 2700K - 226	226	—
	PLC-26W 2P 3500K - 351	351	—



PLC-10W 4P 2700K - 219

SKU: 219

10WW

Ballast Dependent



PLT-26W xxK

26WW

Ballast Dependent

CCT	Model	SKU	Spec Sheet
	PLT-26W 2700K - 222	222	—
	PLT-26W 3500K - 496	496	—
	PLT-26W 4100K - 497	497	—
	PLT-32W 2700K - 223	223	—
	PLT-32W 3500K - 498	498	—
	PLT-42W 4100K - 501	501	—







FLUORESCENT TUBES

F21 T5 xxK

21WW
2900 lm lm
4100K–4100K CCT
G5 Base

Ballast Dependent
≥ 80 CRI
20,000 Hrs L70

CCT	Model	SKU	Spec Sheet
4100K	F21 T5 4100K - 545	545	
4100K	F28 T5 4100K - 546	546	

F32T8/28W850 - 326

SKU: 326
28WW
2450 lm lm
5000K CCT
G13 Base

Ballast Dependent
≥ 80 CRI
30,000 Hrs L70





HID

MH 50W Medium

50WW
 3800 lm lm
 4200K–4200K CCT
 E26 / Medium Base

Ballast Dependent
 ≥65 CRI
 10,000 Hrs L70

CCT	Model	SKU	Spec Sheet
4200K	MH 50W Medium - 133	133	—
4200K	MH 150W Medium - 476	478	—
4200K	MH 175W Medium - 111	111	—
4200K	MH 175W COATED Medium - 366	366	—
4200K	MH-400W E39 Mog - 289	289	—
4200K	MH 175W-PS ED28 - 726	726	—
4200K	MH 200W-PS ED28 - 727	727	—
4200K	MH 320W-PS ED37 - 728	728	—
4200K	Conversion MH 250W E39 Mog - 519	519	—
4200K	Conversion MH 400W E39 Mog - 395	395	—
4200K	Conversion MH 600W E39 Mog - 396	396	—

LU 35W Medium

35WW
 2250 lm lm
 2000K–2000K CCT
 E26 / Medium Base

Ballast Dependent
 ≥22 CRI
 24,000 Hrs L70

CCT	Model	SKU	Spec Sheet
2000K	LU 35W Medium - 339	339	—
2000K	LU 50W Medium - 340	340	—
2000K	LU 100W Medium - 344	344	—
2000K	LU 150W Medium - 346	346	—
2000K	LU 50W Mogul - 341	341	—
2000K	LU 70W Mogul - 343	343	—
2000K	LU 100W Mogul - 345	345	—
2000K	LU 150W Mogul - 347	347	—
2000K	LU 250W Mogul - 348	348	—
2000K	LU 400W Mogul - 349	349	—

